



T U N I N G



SPECIAL CASES 2018


H P R C C A S E S  
**MADE IN ITALY**  
MANUFACTURED



We are HPRC. We don't just design and manufacture watertight hard protective cases, we supply carrying solutions. And solutions need to be no-hassle and tailored to your needs.

This is why in Autumn 2013 we designed our first case with a foam specially cut to house the DJI Phantom 1.

Now, almost 5 years later, we are a leading manufacturer of custom cases for drones, gimbals, camcorders and cameras but we feel we are still at the beginning: more is yet to come.



DJI

SPECIAL CASES 2018

# HPRC SPK2300BLK-01

FLY MORE COMBO



# HPRC SPK2300YEL-01

FLY MORE COMBO



# HPRC SPK2300BLU-01

FLY MORE COMBO



# HPRC SPK2300RED-01

FLY MORE COMBO



- 1 DJI Spark Fly More Combo (Props Attached)
- 2 Batteries (1 Installed in Spark)
- 3 Remote Controller
- 4 Charging Hub
- 5 Power Supply
- 6 Power Plug \*
- 7 Spare Props
- 8 Accessory Cavity\ Battery Charging Hub
- 9 Props Guards / Miscellaneous



## TECHNICAL FEATURES

### Dimension:

internal dimension  
304x231x137(mm) - 11.97x9.09x5.39(in)  
external dimension  
335x289x155(mm) - 13.19x11.38x6.10(in)

### Weight:


1,90kg - 4.19lbs

### Temperature rating:

Minimum -40°C -40°F  
Maximum +80°C +176°F




## TECHNICAL DRAWING



HPRC DJI SPARK

## FLY MORE COMBO



model height 180cm / 5.11 feet



Technical drawing of the 1000 Series 1000W Electric Radiant Heater. The drawing includes two views: a front view and a side view. The front view shows a rectangular unit with a width of 365(L) and a height of 290(W). The side view shows a depth of 115(H) and a mounting bracket height of 35. The unit features a central heating element and a control panel on the right side.

# HPRC SPKBAG35-01

FLY MORE COMBO



- 1 DJI Spark Fly more Combo (Props Attached)
- 2 Batteries (1 Installed in Spark)
- 3 Remote Controller
- 4 Charging Hub
- 5 Power Supply\Various
- 6 Battery Charging Hub
- 7 Spare Props
- 8 Props Guards\ Miscellaneous

TECHNICAL FEATURES

**Dimension:**  
 internal dimension  
 433x319x169(mm) - 17.05x12.56x6.65(in)  
 external dimension  
 498x370x185(mm) - 19.61x14.57x7.28(in)

**Weight:**  
 3,55kg - 7.82lbs



HPRC DJI SPARK

# HPRC MAV2400BLK-01



# HPRC MAV2400BLU-01



# HPRC MAV2400RED-01



- 1** DJI Mavic Pro Fly More Combo  
+ bottom extra space for extra folding propellers
- 2** Intelligent Flight Battery
- 3** Cables
- 4** Battery Charger
- 5** Battery Charging Hub
- 6** Remote Controller
- 7** Charger Cable
- 8** Car Charger
- 9** Battery to power bank adaptor

## TECHNICAL FEATURES


**Dimension:**  
internal dimension  
380x266x152(mm) - 14.96x10.47x5.98(in)  
external dimension  
405x330x170(mm) - 15.94x12.99x6.69(in)

**Weight:**  
2,38kg - 5.25lbs

**Temperature rating:**  
Minimum  
-40°C -40°F  
Maximum  
+80°C +176°F



## TECHNICAL DRAWING



# HPRC MAV3500BLK-01



\*model height 180cm / 5.11 feet



- 1** DJI Mavic Pro Fly More Combo  
+ bottom extra space for extra folding propellers
- 2** Intelligent Flight Battery
- 3** Remote Controller
- 4** Cables
- 5** Battery Charging Hub
- 6** Battery to power bank adaptor
- 7** Battery Charger
- 8** Car Charger
- 9** Charger Cable
- 10** Miscellaneous / Small Accessories

## TECHNICAL FEATURES

### Dimension:

internal dimension  
433x319x169(mm) - 17.05x12.56x6.65(in)  
external dimension  
498x370x185(mm) - 19.61x14.57x7.28(in)

### Weight:


3,55kg - 7.82lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F



## TECHNICAL DRAWING



# HPRC MAVBAG35-01



- 1 DJI Mavic Pro Fly More Combo  
+ bottom extra space for extra folding propellers
- 2 Intelligent Flight Battery
- 3 Remote Controller
- 4 Cables
- 5 Battery Charging Hub
- 6 Battery to power bank adaptor
- 7 Battery Charger
- 8 Car Charger
- 9 Charger Cable
- 10 Miscellaneous / Small Accessories




## TECHNICAL FEATURES


**Dimension:**  
 internal dimension  
 433x319x169(mm) - 17.05x12.56x6.65(in)  
 external dimension  
 498x370x185(mm) - 19.61x14.57x7.28(in)



# HPRC MAVCONV-01



**Conversion kit for**  
**HPRC2400** Mavic case



**Conversion kit for HPRC3500**  
**SOFT BAG 3500 BACKPACKS:**



# PHA4-2710-01

## HPRC2710PHA4



- 1 - DJI Phantom 4 / Phantom 4 Pro / Phantom 4 Pro + with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10- Controller Monitor Hood for Tablets / Instructions
- 11- Remote Controller
- 12- Cables
- 13- Small Tools



### TECHNICAL FEATURES

#### Dimension:

Internal dimension  
555x459x256(mm) - 21.85x18.07x10.08(in)  
External dimension  
617x525x280(mm) - 24.29x20.67x11.02(in)


#### Weight:

7.75kg - 17.08lbs

#### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### TECHNICAL DRAWING




# PHA4-BAGLG-01

## HPRCDROLG4



**dji**  
PHANTOM 4



- 1- DJI Phantom 4 / Phantom 4 Pro / Phantom 4 Pro + with Props On / using Prop Guards
- 2- Spare Battery
- 3- Cables / Tools / Small Accessories
- 4- Battery Charger
- 5- 6 x Spare Props
- 6- Kit of Spare Prop Guards
- 7- Controller



HPRC DJI PHANTOM 4

### TECHNICAL FEATURES

**Dimension:**  
560x560x245(mm) - 22x22x9.6"(in)

**Weight:**  
2.6kg - 5.7lbs

# PHA4-2700W-01

## HPRC2700WPHA4



- 1 - DJI Phantom 4 / Phantom 4 Pro / Phantom 4 Pro + with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10- Controller Monitor Hood for Tablets / Instructions
- 11- Remote Controller
- 12- Cables
- 13- Small Tools




### TECHNICAL FEATURES

**Dimension:**  
Internal dimension  
555x460x256(mm) - 21.85x18.1x10.08(in)  
External dimension  
620x525x280(mm) - 24.41x20.67x11.02(in)

**Weight:**  
8.72kg - 19.22lbs


**Temperature rating:**  
Minimum  
-40°C -40°F  
Maximum  
+80°C +176°F

### TECHNICAL DRAWING



# PHA4-BAG27-01

## HPRCDROALPHA4



- 1 - DJI Phantom 4 / Phantom 4 Pro / Phantom 4 Pro + with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10- Controller Monitor Hood for Tablets / Instructions
- 11- Remote Controller
- 12- Cables
- 13- Small Tools



**Dimension:** external dimension  
560x470x235(mm) - 22.05x18.50x9.25(in)

**Weight:** 2.30kg - 5.07lbs

# PHA4-2710COM-01

## HPRC2710PHA4COMBO

**COMBO** | PHA4 |  
ONE SOLUTION ALL YOU NEED



### HPRC2710

- 1 - DJI Phantom 4 / Phantom 4 Pro / Phantom 4 Pro + with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10- Controller Monitor Hood for Tablets / Instructions
- 11- Remote Controller
- 12- Cables
- 13- Small Tools



Dimension:

internal dimension

555x459x256(mm) - 21.85x18.07x10.08(in)

external dimension

617x525x280(mm) - 24.29x20.67x11.02(in)



lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)

Weight:

7.75kg - 17.08lbs

Temperature rating:

Minimum  
-40°C -40°F

Maximum  
+80°C +176°F

### HPRCPHA4BACKPACK

Dimension:

external dimension

560x470x235(mm)

22.05x18.50x9.25(in)

Weight (with foam): 2.30kg - 5.07lbs



# PHA4-2700WCOM-01

## HPRC2700WPHA4COMBO

**COMBO** | PHA4 | W

ONE SOLUTION ALL YOU NEED



### HPRC2700W

- 1 - DJI Phantom 4 / Phantom 4 Pro / Phantom 4 Pro + with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10- Controller Monitor Hood for Tablets / Instructions
- 11- Remote Controller
- 12- Cables
- 13- Small Tools

Dimension:

internal dimension  
555x460x256(mm) - 21.85x18.1x10.08(in)  
external dimension  
620x525x280(mm) - 24.41x20.67x11.02(in)

lid: 46(mm) - 1,81(in) bottom: 210(mm) - 8,27(in)

Weight:

8.72kg - 19.22lbs

Temperature rating:

Minimum  
-40°C -40°F

Maximum  
+80°C +176°F



### HPRC PHA4 BACKPACK

Dimension:


external dimension  
560x470x235(mm)  
22.05x18.50x9.25(in)

Weight (with foam): 2.30kg - 5.07lbs




HPRC DJI PHANTOM 4


# HPRC INS2-2780W-02



- 1 DJI Inspire 2 in Landing Mode with Gimbal X7 Attached
- 2 Transmitter (Radio Controller)
- 3 Spare Flight Battery
- 4 Crystal Monitor 7.85"
- 5 Cendence Remote Controller
- 6 SSD
- 7 Charger
- 8 Filters
- 9 Props + Spare Props
- 10 Charging Hub



- 11 Gimbal
- 12 Gimbal's Lid
- 13 Lens
- 14 Cables / Miscellaneous



- 15 Miscellaneous / Small Accessories

## TECHNICAL FEATURES

### Dimension:

Internal dimension  
749x525x366(mm) - 29.49x20.67x14.41(in)  
External dimension  
810x586,5x388(mm) - 31.89x23.09x15.28(in)

### Weight:


with foam: 14.30kg - 31.52lbs

### Temperature rating:


Minimum Maximum  
-40°C -40°F +80°C +176°F




## TECHNICAL DRAWING



# HPRC INS2-4600W-02



- 1** DJI Inspire 2 in Landing Mode with Gimbal X7 Attached
- 2** Standard Radio Controller
- 3** Spare Flight Battery
- 4** Ipad Mini / Tablet up to 7.9"
- 5** Props + Spare Props
- 6** Charger
- 7** SSD
- 8** CrystalSky 7.85"



- 9** Gimbal
- 10** Battery
- 11** Cables / Miscellaneous
- 12** Lens
- 13** Crystal Monitor
- 14** Charging Hub
- 15** Cendence Remote Controller



## TECHNICAL FEATURES

### Dimension:

Internal dimension  
611x611x345(mm) - 24.05x24.05x13.58(in)  
External dimension  
670x677x388.5(mm) - 26.38x26.65x15.3(in)

### Weight:


with foam: 14.30kg - 31.52lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F



## TECHNICAL DRAWING






# INS2780W-01

## HPRC2780WINS



**dji**  
INSPIRE 1  
Landing  
Mode



- 1 DJI Inspire 1 - DJI Inspire 1 Pro/RAW with Gimbal Attached
- 2 Transmitter (Radio Controller)
- 3 Spare Flight Battery
- 4 Ipad Air / Tablet up to 10"
- 5 8-10 Spare Props
- 6 Charger
- 7 2 x Filters
- 8 Spare Micro Four Thirds Lens
- 9 Cables
- 10 DJI Osmo (without Gimbal)

- 11 DJI Focus
- 12 DJI Focus Brushless Motor
- 13 Spare Flight Battery OR X3 Gimbal
- 14 Cables / Miscellaneous

- 15 Miscellaneous
- 16 DJI Battery Charging Hub
- 17 Small Accessories / Miscellaneous


### TECHNICAL FEATURES

**Dimension:**  
Internal dimension  
749x525x366(mm) - 29.49x20.67x14.41(in)  
External dimension  
810x586,5x388(mm) - 31.89x23.09x15.28(in)

**Weight:**  
with foam: 12,5kg - 27.55lbs



### TECHNICAL DRAWING



**Temperature rating:**  
Minimum -40°C -40°F  
Maximum +80°C +176°F

# HPRC M100-4600W-01



- 1 Dji Matrice 100 with assembled guidance
- 2 6 x Spare Batteries
- 3 Zenmuse X5 / X3 Gimbal
- 4 Battery Charger
- 5 Propellers
- 6 Remote Controller
- 7 Miscellaneous / Small Accessories



## TECHNICAL FEATURES

### Dimension:

internal dimension  
611x611x345(mm) - 24.05x24.05x13.58(in)  
external dimension  
670x677x388.5(mm) - 26.38x26.65x15.3(in)

### Weight:


empty: 9,9kg - 21.83lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F



## TECHNICAL DRAWING




# HPRC M210-4600W-02



LAY 1

LAY 2





LAY 1



LAY 2

- 1** Dji Matrice 200 or 210 +2 gimbals mounted Landing Mode with 1 Gimbal Connector, 2 cameras, 2 GPS kit, 2 batteries (x 2 TB50 or x 2 TB55) mounted
- 2** Cendence Remote Controller
- 3** Cendence Remote Controller
- 4** CrystalSky Battery (WB37)
- 5** Charging Hub for CrystalSky (WCH2)
- 6** CrystalSky 7.85"
- 7** Charging Hub (IN2)
- 8** x 2 batteries TB50 or x 1 battery TB55
- 9** Battery Charger
- 10** x 4 Propellers Pair

- 11** x 2 batteries TB50 or x 1 battery TB55
- 12** Small Accessories



## TECHNICAL FEATURES

### Dimension:

internal dimension  
611x611x345(mm) - 24.05x24.05x13.58(in)  
external dimension  
670x677x388.5(mm) - 26.38x26.65x15.3(in)

### Weight:


empty: 9,9kg - 21.83lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F



## TECHNICAL DRAWING



# HPRC M210-4600W-03




LAY 1

LAY 2





LAY 1



LAY 2

- 1** Dji Matrice 200/210RTK antenna kit Landing Mode with 2 GPS RTK kit, 2 batteries (x 2 TB50 or x 2 TB55) mounted
- 2** D-RTK Ground System Kit
- 3** Cendence Remote Controller with patch antenna
- 4** CrystalSky Battery (WB37)
- 5** Charging Hub for CrystalSky (WCH2)
- 6** CrystalSky 7.85"
- 7** Charging Hub (IN2)
- 8** Battery TB50 or battery TB55
- 9** Battery Charger
- 10** Small Accessories

- 11** x 4 Propellers Pair



HPRC DJI MATRICE 210 RTK

## TECHNICAL FEATURES

### Dimension:

internal dimension  
611x611x345(mm) - 24.05x24.05x13.58(in)  
external dimension  
670x677x388.5(mm) - 26.38x26.65x15.3(in)

### Weight:


empty: 9,9kg - 21.83lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F



## TECHNICAL DRAWING



# HPRC CEN2460-01



new  
updated  
version  
coming  
soon



for DJI CENDENCE remote controller



- 1 Cendence Remote Controller
- 2 CrystalSky 7.85"
- 3 Battery Charger
- 4 Charging hub for CrystalSky
- 5 CrystalSky Battery


HPRC DJI CENDENCE

## TECHNICAL FEATURES

**Dimension:**  
internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)  
external dimension 434x371x193(mm) - 17.09x14.61x7.60(in)

**Weight:**  
empty: 2,60kg - 5.73lbs  
with foam: 3,14kg - 6.92lbs

**Temperature rating:**  
Minimum -40°C -40°F      Maximum +80°C +176°F



# HPRC GGG-2460-01



for DJI GOGGLES




- 1 Headband
- 2 Dji Goggles Body
- 3 Cables / Miscellaneous Accessories
- 4 Eu Charger
- 5 Uk Charger

## TECHNICAL FEATURES

**Dimension:**  
 internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)  
 external dimension 434x371x193(mm) - 17.09x14.61x7.60(in)

**Weight:**  
 empty: 2,60kg - 5.73lbs  
 with foam: 3,14kg - 6.92lbs

**Temperature rating:**  
 Minimum -40°C -40°F  
 Maximum +80°C +176°F



# BAT2400-02

## PHANTOM/INSPIRE BATTERY CASE

New HPRC2400 with customized foam can hold until 6 spare batteries for DJI Phantom 4 or DJI Inspire 1 or 2. The pre cutted foam could have the following internal layout:



- 6 batteries Inspire 1 or 2
- Charger for Inspire 100W or Charger for Inspire 180W



- 1 - Battery
- 2 - Charger + Cables

- 6 batteries for Phantom 4
- Charger for Phantom 4



- 3 batteries for Phantom 4
- + 3 batteries for Inspire 1 or 2
- Charger for Phantom or Charger for Inspire 1 or 2

HPRC DJI BATTERY CASES

### TECHNICAL FEATURES

#### Dimension:

internal dimension 380x266x152(mm) - 14.96x10.47x5.98(in)  
external dimension 405x330x170(mm) - 15.94x12.99x6.69(in)

lid: 45(mm) - 1.77(in) bottom: 107(mm) - 4.21(in)

#### Weight:


2,38kg - 5.25lbs

#### Temperature rating:


Minimum -40°C -40°F Maximum +80°C +176°F



### TECHNICAL DRAWING



# HPRC BAT-2550W-01



- 1 Battery for DJI Inspire 2
- 2 Charger Hub
- 3 Battery Charger
- 4 Miscellaneous



## TECHNICAL FEATURES

### Dimension:

internal dimension  
513x288x200(mm) - 20.19x11.34x7.87(in)  
external dimension  
549x346x236(mm) - 21.61x13.62x9.29(in)

### Weight:


empty: 4.35kg - 9.57lbs

### Temperature rating:

Minimum -40°C -40°F  
Maximum +80°C +176°F



## TECHNICAL DRAWING



# HPRC OSM2350-02

dji  
OSMO  
OSMO +



FOR DJI OSMO / OSMO +



- 1** DJI Osmo or OSMO+ with X3 Gimball
- 2** Smartphone Holder
- 3** Cables / Miscellaneous Accessories
- 4** Battery Charger
- 5** Spare Batteries

## TECHNICAL FEATURES

### Dimension:

Internal dimension  
340x235x99(mm) - 13.38x9.25x3.90(in)  
External dimension  
365x290x115(mm) - 14.37x11.42x4.53(in)

### Weight:


1.58kg - 3.49lbs

### Temperature rating:

Minimum      Maximum  
-40°C -40°F      +80°C +176°F




## TECHNICAL DRAWING



# HPRC OSM2500-01



FOR DJI OSMO PRO




- 1 DjI OSMO Pro Handle + x5 Adapter + X5 Zenmuse (and more)
- 2 Tripod (over the stick extension) stick extension
- 3 8 x battery
- 4 Universal compartment (strap, rode microphone, etc...)
- 5 Other parts
- 6 Bike mount
- 7 Universal mount
- 8 2x charger + cable
- 9 Car mount adapter
- 10 2 x arm extension
- 11 3 x filter
- 12 arm extension screw
- 13 Manfrotto LED light
- 14 Strap
- 15 3 x SSD cards
- 16 SSD card reader
- 17 X3 / Z3 Zenmuse
- 18 X5 Filter
- 19 Micro SD, SD Adapter, USB Stick, Business card

## TECHNICAL FEATURES

**Dimension:**  
 internal dimension 450x323x175(mm) - 17.72x12.72x6.89(in)  
 external dimension 478x390x194(mm) - 18.82x15.35x7.64(in)

**Weight:**  
 3,71kg - 8.18lbs

**Temperature rating:**  
 Minimum            Maximum  
 -40°C -40°F        +80°C +176°F



HPRC DJI OSMO PRO

# HPRC | RONIN-S



# HPRC ROS2500-01



FOR DJI RONIN-S



- 1 Gimbal with Focus Wheel
- 2 Extended Grip/Tripod
- 3 Camera Mounting Plate
- 4 24W Usb Power Adapter
- 5 BG37 Grip x 2
- 6 Accessories Box

## TECHNICAL FEATURES

### Dimension:


internal dimension 450x323x175(mm) - 17.72x12.72x6.89(in)  
external dimension 478x390x194(mm) - 18.82x15.35x7.64(in)

### Weight:

3,71kg - 8.18lbs

### Temperature rating:


Minimum Maximum  
-40°C -40°F +80°C +176°F



# HPRC ROS2550W-01



FOR DJI RONIN-S



- 1 Gimbal with Focus Wheel
- 2 Extended Grip/Tripod
- 3 Camera Mounting Plate
- 4 24W Usb Power Adapter
- 5 BG37 Grip x 3
- 6 Accessories Box
- 7 Lens
- 8 Panasonic Gh5 / Sony Alpha 7 camera body



## TECHNICAL FEATURES

### Dimension:

internal dimension  
513x288x200(mm) - 20.19x11.34x7.87(in)  
external dimension  
549x346x236(mm) - 21.61x13.62x9.29(in)

### Weight:


empty: 4.35kg - 9.57lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F



## TECHNICAL DRAWING



# HPRC ROS3500-01



FOR DJI RONIN-S



- 1 Gimbal with Focus Wheel
- 2 Extended Grip/Tripod
- 3 Camera Mounting Plate
- 4 24W Usb Power Adapter
- 5 BG37 Grip x 2
- 6 Accessories Box

## TECHNICAL FEATURES


**Dimension:**  
 internal dimension  
 433x319x169(mm) - 17.05x12.56x6.65(in)  
 external dimension  
 498x370x185(mm) - 19.61x14.57x7.28(in)

**Weight:**  
 3,55kg - 7.82lbs

**Temperature rating:**  
 Minimum            Maximum  
 -40°C -40°F        +80°C +176°F



## TECHNICAL DRAWING





# RMX2730W-01



- 1 - DJI Ronin-MX Transmitter (Controller)
- 2 - DJI Ronin-MX Gimbal
- 3 - 4x Spare Batteries
- 4 - 2x Charger
- 5 - 2x Side Handles
- 6 - Top Handle Bar
- 7 - Tuning Stand
- 8 - Camera Mounting Plate



## TECHNICAL FEATURES

### Dimension:

internal dimension 509x460x316(mm) - 20.04x18.11x12.44(in)  
external dimension 620x520x350(mm) - 24.41x20.47x13.78(in)

lid: 45(mm) - 1.77(in) bottom: 271(mm) - 10.66(in)

### Weight:

empty: 7,55kg - 16.64lbs  
with cubed foam: 10,43kg - 22.99lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

Colors:  
Black



## TECHNICAL DRAWING



HPRC DJI RONIN-MX

# RON2700W-01

## HPRC2700WRON



- 1 - DJI Ronin Handheld Gimbal
- 2 - Controller
- 3 - Cables/Accessories/Miscellaneous
- 4 - Quick Plate Mount
- 5 - Cables
- 6 - Pair of 15mm Rods
- 7 - Mounting Plate
- 8 - 2 x Spare Batteries
- 9 - Cables
- 10 - Charger
- 11 - Cables
- 12 - Tuning Stand
- 13 - Brackets/Screws
- 14 - Handlebar
- 15 - Knobs



**Dimension:**

**internal dimension**  
555x460x256(mm) - 21,85x18,1x10,08(in)  
**external dimension**  
620x520x275(mm) - 24,41x20,47x10,83(in)

**lid:** 46(mm) - 1,81(in) **bottom:** 210(mm) - 8,27(in)

**Weight:**

**empty:** 7,55kg - 16,65lbs  
**with foam:** 8,68 KG / 19,14lbs


**Temperature rating:**

Minimum      Maximum  
-40°C -40°F      +80°C +176°F



# ROM2700W-01

## HPRC2700WROM



- 1 - Ronin-M Transmitter (Controller)
- 2 - Ronin-M Gimbal
- 3 - 2x Side Handles
- 4 - Cables/Screws/Small Accessories
- 5 - Top Handle Bar
- 6 - Cables/Screws/Accessories
- 7 - Tuning Stand
- 8 - 3x Spare Batteries
- 9 - 2x Charger
- 10 - Camera Mounting Plate
- 11 - 7" Field Monitor



### Dimension:

**internal dimension**  
555x460x256(mm) - 21,85x18,1x10,08(in)  
**external dimension**  
620x520x275(mm) - 24,41x20,47x10,83(in)

**lid:** 46(mm) - 1,81(in) **bottom:** 210(mm) - 8,27(in)

### Weight:

**empty:** 7,55kg - 16,65lbs  
**with foam:** 8,68 KG / 19,14lbs

### Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F




HPRC DJI RONIN-M TRANS.

# HPRC RON2-2780W-01



**dji**  
RONIN 2



- 1** Gimbal with camera and 2 batteries attached
- 2** TB50 Intelligent Battery
- 3** Remote controller
- 4** Lower Ronin 2 Ring
- 5** Accessories Package
- 6** Upper Ronin 2 Ring with grip mounted

- 7** Cables
- 8** Motion Block
- 9** Top Mountain Block
- 10** Camera Base Plate
- 11** 15mm Focus Rod Mount
- 12** Quad Charging Hub
- 13** Universal Mount
- 14** Camera Top Cross Bar
- 15** Accessories Mount
- 16** 15mm Rod
- 17** Battery Charger

## TECHNICAL FEATURES

### Dimension:

Internal dimension  
749x525x366(mm) - 29.49x20.67x14.41(in)  
External dimension  
810x586,5x388(mm) - 31.89x23.09x15.28(in)

### Weight:

with foam: 13,6kg - 29,9lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F



**W**

## TECHNICAL DRAWING





H P R C C A S E S  
**MADE IN ITALY**  
M A N U F A C T U R E D



FREEFLY

SPECIAL CASES 2018

# HPRC FFS-4600W-02



- 1** Mimic / Classic Handle
- 2** Battery
- 3** Mimic Antenna
- 4** Rolls
- 5** Miscellaneous
- 6** MōVI Ring Pro with mounted feet

- 7** Cables
- 8** Main Gimbal
- 9** Plastic rings for MōVI Ring Pro

- 10** MōVI Pro Low Profile Handle
- 11** MōVI Ring Pro with mounted feet
- 12** Freely Hex Driver - 2.0+2.5MM
- 13** Battery Charger



## TECHNICAL FEATURES

### Dimension:

Internal dimension  
611x611x345(mm) - 24.05x24.05x13.58(in)  
External dimension  
670x677x388.5(mm) - 26.38x26.65x15.3(in)

### Weight:


with foam: 14.30kg - 31.52lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F



## TECHNICAL DRAWING





YUNEEC

SPECIAL CASES 2018

# TYH-4600W-01



## TECHNICAL FEATURES

### Dimension:

internal dimension 611x611x345(mm) - 24.05x24.05x13.58(in)  
external dimension 670x677x388.5(mm) - 26.38x26.65x15.3(in)

lid: 55.5(mm) - 2.18(in) bottom: 289(mm) - 11.37(in)

### Weight:

12,5kg - 27.55lbs

### Temperature rating:


Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black



## TECHNICAL DRAWING



- 1 - Yuneec Typhoon H
- 2 - Spare Battery
- 3 - Remote Controller
- 4 - 2 Kits of Spare Props
- 5 - Transformer
- 6 - Charger
- 7 - Miscellaneous Accessories
- 8 - Small Accessories / Cables
- 9 - Small Tools
- 10 - Sunshade

HPRC YUNEEC TYPHOON H



3D Robotics

SPECIAL CASES 2018

# SOL2700W-01

## HPRC2700WSOL



- 1 - 3DR Solo with Props on
- 2 - 2 Spare Motors
- 3 - 2 Kits of Spare Props
- 4 - Spare Battery
- 5 - Small Accessories / Cables
- 6 - GoPro with Housing
- 7 - Transformer
- 8 - Charger
- 9 - Ipad Air / Tablet up to 10"
- 10 - 4 GoPro Batteries
- 11 - Remote Controller



### Dimension:

**internal dimension**  
555x460x256(mm) - 21,85x18,1x10,08(in)  
**external dimension**  
620x520x275(mm) - 24,41x20,47x10,83(in)



**lid:** 46(mm) - 1,81(in) **bottom:** 210(mm) - 8,27(in)

### Weight:

**empty:** 7,55kg - 16,65lbs  
**with foam:** 8,68 KG / 19,14lbs

### Temperature rating:

Minimum      Maximum  
-40°C -40°F      +80°C +176°F




GoPro  
Be a HERO.

G O P R O

SPECIAL CASES 2018

# GPR2350-02

## HPRC2350GP



- 1 GoPro Hero3/Hero3+/Hero4
- 2 2 x LCDs
- 3 4 x Spare Batteries
- 4 Miscellaneous Accessories

### TECHNICAL FEATURES

**Dimension:**  
365x290x115(mm) - 14.37x11.42x4.53(in)

**Weight:**  
empty: 1.48kg - 3.25lbs  
with cubed foam: 1.61kg - 3.55lbs

**Temperature rating:**  
Minimum -40°C -40°F  
Maximum +80°C +176°F





BLACKMAGIC

SPECIAL CASES 2018

# HPRC URS2730W-02



FOR URSA MINI PRO



- 01 - BlackMagic Ursa Mini Pro with shoulder pad and top handle mounted
- 02 - Tripod Plate
- 03 - Shoulder Mount kit - Rods clamps
- 04 - Batteries
- 05 - Shoulder Mount kit - Quick lock release
- 06 - Lens
- 07 - Accessories / Cables
- 08 - HPRC1100 Memory card holder for CFast/SDHC cards
- 09 - Charger



HPRC BLACKMAGIC URSA MINI PRO

## TECHNICAL FEATURES

### Dimension:

internal dimension 509x460x316(mm) - 20.04x18.11x12.44(in)  
external dimension 620x520x350(mm) - 24.41x20.47x13.78(in)

lid: 45(mm) - 1.77(in) bottom: 271(mm) - 10.66(in)

### Weight:

empty: 7,55kg - 16.64lbs  
with cubed foam: 10,43kg - 22.99lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

Colors:  
Black



## TECHNICAL DRAWING



HPRC

ADV1-2710-01

Blackmagicdesign



1

 Blackmagic Design Atem 1 M/E Advanced Panel

HPRC BLACKMAGIC ATEM 1 M/E



|                     |                                                                      |              |
|---------------------|----------------------------------------------------------------------|--------------|
| Dimension:          | <b>internal dimension</b><br>555x459x256(mm) - 21.85x18.07x10.08(in) |              |
|                     | <b>external dimension</b><br>617x525x280(mm) - 24.29x20.67x11.02(in) |              |
|                     | <b>lid:</b> 45(mm) - 1.77(in) <b>bottom:</b> 211(mm) - 8.30(in)      |              |
| Weight:             | 7.75kg - 17.08lbs                                                    |              |
| Temperature rating: | Minimum                                                              | Maximum      |
|                     | -40°C -40°F                                                          | +80°C +176°F |







PANASONIC

SPECIAL CASES 2018

# HPRC GH52460-01



HPRC2460 for PANASONIC GH5 is a special edition, designed to safely carry your GH5 Lumix G Series.



- 1 PANASONIC GH5 with or without professional cage and lenses mounted
- 2 Lenses: LUMIX G 8MM F3,5 (FISHEYE) HD, LUMIX DG SUMMILUX 12 F1.4, LUMIX G PANCAKE 14MM F2.5, LEICA DG SUMMILUX 15mm / F1,7 ASPH, LUMIX G 20MM F1,7 (ASPH), LEICA DG SUMMILUX 25mm F1,4 (ASPH), LUMIX G 25MM F1,7 ASPH., LUMIX G 30MM MACRO F2,8, LEICA DG NOCTICRON 42,5 MM F 1,2 (ASPH) HD, LUMIX G DG 1,7 / 42,5MM ASPH/POWER O.I.S., LEICA DG MACRO-ELMARIT 45MM F2,8 (ASPH), LUMIX G VARIO 7-14MM F4,0 (ASPH) HD, LEICA DG VARIO ELMARIT 8-18, LUMIX G VARIO 12-32MM F3,5-F5,6 (ASPH) HD, LUMIX G X VARIO 12-35MM F2,8 (ASPH) HD, LUMIX G X VARIO 12-35 II, LEICA DG VARIO ELMARIT 12-60, LUMIX G VARIO 12-60, LUMIX G VARIO 14-42MM F3,5-5,6 (ASPH) HD, LUMIX G VARIO 14-42MM F3,5-5,6 (ASPH) HD, LUMIX G X VARIO PZ 14-42MM F3,5-5,6 (ASPH), LUMIX G VARIO 14-45MM F3,5-5,6 (ASPH) HD, LUMIX G X VARIO 35-100MM F2,8 HD, LUMIX G X VARIO 35-100 II, LUMIX G VARIO 35-100MM F4,0-5,6, LUMIX G VARIO 45-200 II, LUMIX G 12,5MM F12,5 3D
- 3 Battery chargers, cables
- 4 Accessories (baseplate, rods, top grip handles, lockports, cables, batteries, controllers, GoPro)
- 5 External recorder Atomos/Sound Device etc

HPRC PANASONIC GH5

## TECHNICAL FEATURES

### Dimension:


internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)  
external dimension 434x371x193(mm) - 17.09x14.61x7.60(in)

### Weight:

3,14kg - 6.92lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F





SONY

α  
7R

Carl Zeiss

Vario-Tessar FE 4/24-70 ZM OSS

35588032

SONY

SPECIAL CASES 2018

# ALP2460-01



FOR SONY ALPHA 7

HPRC2460 for ALPHA 7 is a special edition, designed to safely carry your SONY Alpha Series.



- 1 Sony A7/A7R/A7S/A7II/A7RII/A7SII/a6300 with or without professional cage and lenses mounted (EF/F/PL-Mount/Leica R)
- 2 Lenses: Sony FE 50/1.4, 50/2,8 Macro, 24-70/2.8 G, 85/1,4 G, 16-35/4, 24-70/4, 28-70/3.5-5.6, 28/2.0 - SONY ZA 35/2.8, 35/1.4, 50/1.4, 50/1,8 55/1.8/ 10-18/4 - Zeiss Loxia 21/2.8, 35/2.0, 50/2.0
- 3 Battery chargers, cables
- 4 Accessories (baseplate, rods, top grip handles, lockports, cables, batteries, controllers, GoPro)
- 5 external recorder Atomos/Sound Device etc



HPRC SONY ALPHA 7

## TECHNICAL FEATURES

### Dimension:


internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)  
external dimension 434x371x193(mm) - 17.09x14.61x7.60(in)

### Weight:

3,14kg - 6.92lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F





LEICA

*Leica*

LEICA

SPECIAL CASES 2018

SUMMILUX-M 1:1.4/35 ASPH.

# LEM2400-01




- 1 1 x Leica M Camera Body with Lens Attached
- 2 Electronic Viewfinder
- 3 4 x Lens
- 4 Charger
- 5 Spare Battery
- 6 Cables/Miscellaneous

## TECHNICAL FEATURES

**Dimension:**  
internal dimension 380x266x152(mm) - 14.96x10.47x5.98(in)  
external dimension 405x330x170(mm) - 15.94x12.99x6.69(in)

**Weight:**  
empty: 2,05kg - 4.52lbs  
with foam: 2,38kg - 5.25lbs

**Temperature rating:**  
Minimum -40°C -40°F  
Maximum +80°C +176°F



HPRC LEICA M

# LEM2460-01




- 1 2 x Leica M Camera Body with Lens Attached
- 2 2 x Electronic Viewfinder
- 3 2 x Spare Batteries
- 4 4 x Lens
- 5 2 x Charger
- 6 Cables/Miscellaneous

## TECHNICAL FEATURES

**Dimension:**  
internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)  
external dimension 434x371x193(mm) - 17.09x14.61x7.60(in)

**Weight:**  
empty: 2,60kg - 5.73lbs  
with foam: 3,14kg - 6.92lbs

**Temperature rating:**  
Minimum -40°C -40°F  
Maximum +80°C +176°F





16  
11  
8  
7  
6  
5  
4  
3  
2  
1  
0



I 

BROMPTON

BROMPTON

SPECIAL CASES 2018

# BRO4800W-01



1 Brompton Bike

2 Accessories

## TECHNICAL FEATURES


**Dimension:**  
internal dimension  
720x320x600(mm) - 28.34x12.60x23.62(in)  
external dimension  
776x380x649(mm) - 30.55x14.96x25.55(in)

**Weight:**  
with foam: 11.60 kg – 25.57 lbs

**Temperature rating:**  
Minimum  
-40°C -40°F  
Maximum  
+80°C +176°F



## TECHNICAL DRAWING





APPLE

SPECIAL CASES 2018

# MAC4800W-01

## HPRC4800WMAC



- 1 Apple Imac 27"
- 2 Cable
- 3 Keyboard + Mouse



HPRC APPLE IMAC 27"

### TECHNICAL FEATURES

#### Dimension:

internal dimension  
720x320x600(mm) - 28.34x12.60x23.62(in)  
external dimension  
776x380x649(mm) - 30.55x14.96x25.55(in)

#### Weight:



with foam: 11.60 kg – 25.57 lbs

#### Temperature rating:

Minimum      Maximum  
-40°C -40°F      +80°C +176°F



### TECHNICAL DRAWING





H P R C C A S E S  
**MADE IN ITALY**  
MANUFACTURED



# HPRC®

## T U N I N G

### **Plaber s.r.l. - HPRC cases**

Via Div Tridentina, 10  
I-36061 Bassano del Grappa  
Vicenza - Italy

Tel +39 0424 809150  
Fax +39 0424 808548

USA office and warehouse:

### **Plaber America Inc - HPRC cases**

240 Anderson Avenue  
07074 Moonachie - New Jersey

Tel +1 201 617 2010  
Fax +1 201 617 2001

[www.hprc.it](http://www.hprc.it) | [www.hprcusa.com](http://www.hprcusa.com)

[info@hprc.it](mailto:info@hprc.it)

HPRC® Brand owned by:

*plaber*  
ITALIA

SPECIAL CASES 2018