

2019 CASES WORKBOOK



H P R C C A S E S
MADE IN ITALY
MANUFACTURED

Our Brand

We're about happiness by cases. It means we're not just in the business of creating protective cases, even though that is what we do. Our everyday commitment is designed to make people happy.

From an ever-growing collection of innovative products to our passionate team who makes it happen, it's all about happiness.

Our Products

We're always looking for what's next. We're constantly innovating our original designed form and function, proving a fresh approach to the art of cases. By incorporating different styles, top quality materials and eye-catching patterns into our design, we make more than a case. We make a statement.

Our History

HPRC cases were born in 2006 with one simple premise: we can design a better case. In almost 10 years HPRC has grown into a successful international business, teaming up with important companies and partners. Our products can be found in 76 countries and have garnered top awards and praise. As we grow, our entrepreneurial spirit continues to drive the HPRC culture. After all, it's what helped us build one of the world's best hard cases brand.



Inside the R-Evolution

Revolution begins inside first: we start every day thinking different, exploring new ideas, projects and solutions. We work side by side in Italy, but we turn to people all around the world to inspire and get inspired.

We are involved in a constant revolution that goes hand in hand with the spirit of renewal of the brand. Our day-to-day commitment is to meet customer needs and personalize their journey. To do better, to offer the best.



HPRC[®]

Blue Bassano: new color, the best of us

Different color, new logo, refreshed style, best materials and services to look at the future. Same quality and warranty provided.

HPRC is synonymous of change: a sense of urgency around the need of **R-Evolution**.

Ultralight. Watertight. Smart Cases.

HPRC cases can be used for all sorts of applications and different areas: photography, industrial, military, nautical, police and many others. HPRC provides total protection to the carried equipment against dust, water, impacts and corrosion for chemical agents.




Outdoor | Diving | Marine



Photo | Video



Industrial | Electronic | It



Military | Government



Fire | Emergency | Medical

Highlights

STRUCTURAL AND VISUAL UPGRADING



New mechanics and engineering of the short sides which provide more resistance to the shell, greater light-weight and improved flexibility.

Refresh of the external surface with a wrinkle effect to the smoothed parts. A new professional and essential design which upgrades the aesthetic while improving the mechanical properties of the shell.

New Name Plate: larger in dimensions, more shock-resistant and refreshed in design.

ALL TERRAIN WHEELS SYSTEM



- cutting-edge innovation for a great grip
- use in any area and different weather conditions, ensuring versatility
- high performance in wet and dry conditions
- sure-footedness in a wide range of fields (asphalt, sand, stones, snow, porphyry)
- rolls smoothly for hundreds of miles
- more stability and enhanced safety
- easy wheels replacement
- increased wheels durability



Special soft cases

HPRC also produces different lines of soft cases and backpacks specifically designed to carry and protect the most popular drones of the market.



Commitments

Our commitment to you:

1. **UNDERSTAND** the problems of your market and your specific requirements. Through our expert knowledge of technological and economic trends we can offer an uncompromisingly individual approach to each customer.

2. **FIND** a transport solution tailored to your requirements. Our extensive cases range, our custom solutions that go far beyond our product offer, our team that assists you in selecting the case that is best suited to your own needs, are our core strengths.

3. **LISTEN** to and take account of your comments, through our network of experts and our frequent satisfaction surveys.

4. **BE** incessantly innovative and competitive in the professional cases market.

HPRC: innovation, technology and design.



Most of hard watertight cases are made in standard pp: our r&d department has developed an enhanced compound, still based on pp, now balanced with additional high performance resins.

Ttx01® allows to produce cases which are lighter in weight and stronger in robustness.

The special mix we added makes the HPRC shell thinner and more elastic, increasing therefore the shockproof degree and the lightweight. On the top of that, maintaining pp characteristics, HPRC cases are acidproof, scratchproof, able to resist to extreme weather conditions and temperature changes (all products are tested from - 40° c up to 80°c).

Do you want to know more?
Please contact our technical team: tech@hprc.lt



pole: ALU



body: TTX01® hardware: steel



wheels: PA66+PUR



handle: PP+SEBS



latches: POM



ext.handle: PA66GF30



HPRC life time warranty: HPRC products have been built to rigorous standards of quality and are guaranteed against all defects in materials and workmanship for the whole life of the case.



Airex is the new automatic purge valve that is auto press release adjusted to changing environments automatically.

The attention and respect toward the environment and the commitment to an eco-sustainable future are important values for HPRC

Our commitment starts from the design phase of the product, and involves all the production stages including the management of the impact of the product's end of life. All shells and components of HPRC cases are 100% recyclable: the production and transformation discards are infact reintegrated in the production cycle. The high resistance of the patented material ttx01® allows to use the HPRC cases longer than any other case, reducing therefore the emissions of CO2 due to the production

 we case in
green.

and distribution. The constant quest for suppliers complying with iso 14000 or emas certification and which are geographically close to our company is a contribute to reduce the environmental impact and represents a challenge in a world where firms usually aim only for low price suppliers not considering their possibly higher environmental impact.
Moreover HPRC adopts renewable sources plants for energy production to cover the energetic needs.

Standard cases

HPRC cases are available with a standard setup if you don't need any special customization regarding the shell or the interior foam. Here are the 5 possible standard configurations.

* CUBED FOAM - USA: F



* EMPTY - USA: E



* SOFT PADDED OPEN DECK + DIVIDERS - USA: DK



* INTERIOR BAG - USA: IC



* SECOND SKIN - USA: SK



* PANEL FRAME MOUNTING SYSTEM AVAILABLE

377

Oem cases

We are cases producers,
if you do not find the right size or best liked design
we will make a customized case for you

1. Product inquiry >>>> Mold + price offer
2. Contract signing >>>> Design drawing
3. Client confirmation >>>> Mold making
4. Sample checking >>>> Production arrangement



1.5

Custom fit cases

Customization concerns: color, printing, adhesive, foam inlay (die cut, water cut, milled, moulded), thermoformed inlay, lid panels and organizer, extra working on the cases shell (holes, external applications) keeping the water tightness.



HIGH VISIBILITY INLAYS

A special high visibility inlay can be designed in order to avoid forgetting equipment on the field after use.



CUSTOMIZED LAYOUT

We give customers different equipment layouts options in order to optimize space and handiness.



CUSTOMIZED COVERS

Customization also includes the possibility to design solutions in order to use the cover as a glove compartment. We can provide organizers, special tools addition, shell modifications and custom colors.



SHELL CUSTOMIZATION

HPRC customization service also provides shell customization, including holes for external connections. HPRC panel frame accessory (HPRCPF) allows customers to install a control panel into the case, ensuring a perfect fit.



INJECTION INLAYS

The custom inlay made in expanded polypropylene of different densities guarantees a perfect protection and a professional look to the case. Our service includes the initial study of the mould and goes through the prototype phase and final production.



MILLED FOAMS

The milling technology allows to get one piece inlays with many different depths.



WATER CUTTING TECHNOLOGY FOAMS

Expanded polyethylene foams are available in various densities (Kg/m³), resistance to compression (kPa) and resistance to different temperatures ranges (°C). These foams, produced with water cutting technology, guarantee a good protection and allow a wide range of customizations.



MULTY LAYER

A multi layer case is a handy solution, especially when equipment is made of many small and different parts that must be stored and protected into one case only.

HPRC 1100



TECHNICAL FEATURES

Dimension:

internal dimension 57x58x25,5(mm) - 2.24x2.28x1.00(in)
external dimension 69x80x32(mm) - 2.72x3.15x1.26(in)

lid: 12,8(mm) - 0.50(in) bottom: 12,7(mm) - 0.50(in)

It0,1

Weight:

empty: 0,04kg - 0.09lbs

available empty or with memory card storage


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Ferrari red

TECHNICAL DRAWING



* memory card case



* empty case



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheelied

FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
 - **2 of SD cards**
 - **1 of XQD card**
 - **1 of CF card**
- Full/empty indicator



Both models with our trademark
“Full – Empty” switch: just flip the arrow towards
the desired E-F position and get straight access
to your cards.

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 116x67x25,5(mm) - 4.57x2.64x1.00(in)
external dimension 127x90x32(mm) - 5.00x3.54x1.26(in)

lid: 12,8(mm) - 0.50(in) bottom: 12,7(mm) - 0.50(in)

lit0,2

Weight:

empty: 0,09kg - 0.19lbs

available empty or with memory card storage



Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Ferrari red

TECHNICAL DRAWING



* cubed foam



* memory card case



* memory Card Case for video



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
 - **8 of SD cards**
 - **4 of XQD cards**
 - **4 of CF cards**
- Full/empty indicator



HPRC 1400

NEW



TECHNICAL FEATURES

Dimension:

internal dimension 180x110x40(mm) - 7,08x4,33x1,57(in)
external dimension 200x142x48(mm) - 7,87x5,59x1,88(in)

lid: 20(mm) - 0,78(in) bottom: 20(mm) - 0,78(in)

lt0,3

Weight:

empty: 0,60kg - 1,32lbs

available empty or with cubed foam


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

* empty

* cubed foam



Bull
Power

HPRC 2100



TECHNICAL FEATURES

Dimension:

internal dimension 210x145x94(mm) - 8.27x5.71x3.70(in)
external dimension 235x196x110(mm) - 9.25x7.72x4.33(in)

lid: 18(mm) - 0.71(in) bottom: 76(mm) - 2.99(in)



Weight:

empty: 0,76kg - 1.68lbs
with cubed foam: 0,84kg - 1.85lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2100 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2100 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-001-01 PANEL FRAME (panel not included)

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 236x182x108(mm) - 9.29x7.17x4.25(in)
external dimension 258x230x123(mm) - 10.16x9.06x4.84(in)

lid: 29(mm) - 1.14(in) bottom: 79(mm) - 3.11(in)



Weight:

empty: 0,87kg - 1.92lbs
with cubed foam: 1,08kg - 2.38lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2200 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2200 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-002-01 PANEL FRAME (panel not included)

HPRC 2250



TECHNICAL FEATURES

Dimension:

internal dimension 236x182x155(mm) - 9.29x7.17x6.10(in)
external dimension 258x230x170(mm) - 10.16x9.06x6.69(in)

lid: 29(mm) - 1.14(in) bottom: 126(mm) - 4.96(in)

Weight:

empty: 1,00kg - 2.20lbs
with cubed foam: 1,35kg - 2.97lbs

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black





* cubed foam




* interior bag

TECHNICAL DRAWING



ACCESSORIES

HPRCCUB2250
CUBED FOAM
USA:HPRCF0 (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCBAG2250
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCPF-002-01
PANEL FRAME
(panel not included)



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

W
volume in litres

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 304x231x137(mm) - 11.97x9.09x5.39(in)
external dimension 335x289x155(mm) - 13.19x11.38x6.10(in)

lid: 31(mm) - 1.22(in) bottom: 106(mm) - 4.17(in)

Weight:

empty: 1,67kg - 3.68lbs
with cubed foam: 1,90kg - 4.19lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

It10

TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2300
CUBED FOAM
USA:HPRCF0 (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCBAG2300
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCPF-003-01
PANEL FRAME
(panel not included)



HPRC 2350



TECHNICAL FEATURES

Dimension:

internal dimension 340x235x99(mm) - 13.38x9.25x3.90(in)
external dimension 365x290x115(mm) - 14.37x11.42x4.53(in)

lid: 29(mm) - 1.14(in) bottom: 70(mm) - 2.75(in)



Weight:

empty: 1.48kg - 3.25lbs
with cubed foam: 1.66kg - 3.65lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black



* cubed foam


ACCESSORIES

HPRCCF2350
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA-1
PADLOCK - TSA



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



PRADA

PRADA



HPRC 2400



TECHNICAL FEATURES

Dimension:

internal dimension 380x266x152(mm) - 14.96x10.47x5.98(in)
external dimension 405x330x170(mm) - 15.94x12.99x6.69(in)

lid: 45(mm) - 1.77(in) bottom: 107(mm) - 4.21(in)



Weight:

empty: 2,05kg - 4.52lbs
with cubed foam: 2,38kg - 5.25lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2400 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2400 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2400 LID ORGANIZER	HPRCPF-004-01 PANEL FRAME (panel not included)

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)
external dimension 434x371x193(mm) - 17.09x14.61x7.60(in)

lid: 70(mm) - 2.76(in) bottom: 105(mm) - 4.14(in)

wt21.5

Weight:

empty: 2,60kg - 5.73lbs
with cubed foam: 3,14kg - 6.92lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

volume in litres
W
wheeled

ACCESSORIES

HPRCCUB2460 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2460 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2460 LID ORGANIZER	HPRCPF-005-01 PANEL FRAME (panel not included)

HPRC 2500



TECHNICAL FEATURES

Dimension:

internal dimension 450x323x175(mm) - 17.72x12.72x6.89(in)
external dimension 478x390x194(mm) - 18.82x15.35x7.64(in)

lid: 46(mm) - 1.81(in) bottom: 129(mm) - 5.08(in)



Weight:

empty: 3,15kg - 6.94lbs
with cubed foam: 3,71kg - 8.18lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2500 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2500 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2500 LID ORGANIZER	HPRCPF-006-01 PANEL FRAME (panel not included)	HPRCSFD2500 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 513x288x132(mm) - 20.20x11.34x5.20(in)
external dimension 540x350x153(mm) - 21.26x13.78x6.02(in)

lid: 46(mm) - 1.81(in) bottom: 86(mm) - 3.25(in)

lit 19

Weight:

empty: 3,20kg - 7.05lbs
with cubed foam: 3,26kg - 7.19lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2530 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2530 INTERIOR BAG USA:HPRCIC (internal case)	HPRCSTRAP	HPRCORG2530 LID ORGANIZER	HPRCSFD2530 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)

HPRC 2550W



TECHNICAL FEATURES

Dimension:

internal dimension 513x288x200(mm) - 20.19x11.34x7.87(in)
external dimension 549x346x236(mm) - 21.61x13.62x9.29(in)

lid: 48(mm) - 1.88(in) bottom: 152(mm) - 5.98(in)



Weight:

empty: 4.35kg - 9.57lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



* cubed foam



* interior bag



SECOND SKIN

ACCESSORIES

HPRCCUB2550W
CUBED FOAM
USA:HPRCFO (foam only)

HPRCL0708TSA-1
PADLOCK - TSA

HPRCBAG2550W-01
INTERIOR BAG
USA:HPRCIC (internal case)

HPRCORG-004-01
LID ORGANIZER

HPRCSSK2550W-01
SECOND SKIN



* open cases images reflect the different HPRC cases internal options

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 390x310x89(mm) - 15.35x12.20x3.50(in)
external dimension 410x359x110(mm) - 16.14x14.13x4.33(in)

lid: 44(mm) - 1.73(in) bottom: 45(mm) - 1.77(in)



max:
15 inches



Weight:

empty: 2,40kg - 5.29lbs
with cubed foam: 2,57kg - 5.67lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* interior bag




APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2580
CUBED FOAM
USA:HPRCFO (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCSTRAP



HPRCORG2580
LID ORGANIZER



HPRC 2600



TECHNICAL FEATURES

Dimension:

internal dimension 482x358x198(mm) - 18.97x14.09x7.79(in)
external dimension 543x419x218(mm) - 21.37x16.49x8.58(in)

lid: 46(mm) - 1.81(in) bottom: 152(mm) - 5.98(in)

lit34

Weight:

empty: 4,25kg - 9.37lbs
with cubed foam: 5,05kg - 11.13lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2600
CUBED FOAM
USA:HPRCFO (foam only)

HPRCL0708TSA-1
PADLOCK - TSA

HPRCBAG2600
INTERIOR BAG
USA:HPRC (internal case)

HPRCORG2600
LID ORGANIZER

HPRCPF-007-01
PANEL FRAME
(panel not included)

HPRCSSK2600-01
SECOND SKIN



* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 482x358x218(mm) - 18.98x14.09x8.58(in)
external dimension 546x423x250(mm) - 21.05x16.65x9.84(in)

lid: 46(mm) - 1.81(in) bottom: 172(mm) - 6.77(in)

lt38

W

Weight:

empty: 6,05kg - 13.34lbs
with cubed foam: 6,97kg - 15.37lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Electric blue

TECHNICAL DRAWING



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERPROOF
INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2600W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG600W INTERIOR BAG USA:HPRC (internal case)	HPRCORG2600W LID ORGANIZER	HPRCPF-008-01 PANEL FRAME (panel not included)	HPRCSSK2600W-01 SECOND SKIN

HPRC 2700



TECHNICAL FEATURES

Dimension:

internal dimension 555x459x205(mm) - 21.85x18.07x8.07(in)
external dimension 617x525x227(mm) - 24.29x20.67x8.94(in)

lid: 45(mm) - 1.77(in) bottom: 160(mm) - 6.29(in)

lit52

Weight:

empty: 5,55kg - 12.24lbs
with cubed foam: 6,71kg - 14.79lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red

TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

ACCESSORIES

HPRCCUB2700 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2700 INTERIOR BAG USA:HPRC (internal case)	HPRCORG2700 LID ORGANIZER

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 555x459x256(mm) - 21.85x18.07x10.08(in)
external dimension 620x525x280(mm) - 24.41x20.67x11.02(in)

lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)



Weight:

empty: 8,30kg - 18.30lbs
with cubed foam: 9,07kg - 19.99lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red

TECHNICAL DRAWING



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2700W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA-1
PADLOCK - TSA

HPRCBAG2700W
INTERIOR BAG
USA:HPRCIC (internal case)

HPRCORG2700W
LID ORGANIZER

HPRCSSK2700W-01
SECOND SKIN



HPRC 2710



TECHNICAL FEATURES

Dimension:

internal dimension 555x459x256(mm) - 21.85x18.07x10.08(in)
external dimension 617x525x280(mm) - 24.29x20.67x11.02(in)

lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)

lit64

Weight:

empty: 6.71kg - 14.76lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black




* cubed foam

ACCESSORIES

HPRCCUB2710
CUBED FOAM
USA:HPRCFO (foam only)

HPRCL0708TSA-1
PADLOCK - TSA


TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

W volume in litres
W wheeled



* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 509x460x316(mm) - 20.04x18.11x12.44(in)
external dimension 620x520x350(mm) - 24.41x20.47x13.78(in)

lid: 45(mm) - 1.77(in) bottom: 271(mm) - 10.66(in)



Weight:

empty: 7,55kg - 16.64lbs
with cubed foam: 10,43kg - 22.99lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam

* interior bag

* soft padded open deck + dividers

APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2730W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA-1
PADLOCK - TSA

HPRCBAG2730W
INTERIOR BAG
USA:HPRCIC (internal case)

HPRCORG2730W
LID ORGANIZER

HPRCSFD2730W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



HPRC 2760W



When innovation becomes a case

Main features:

- 4 built in wheels: roll the case along by simply pushing it while it's on the ground
- two side handles: push or pull the case as a trolley
- stackable exterior lid design: use the case as a cart by stacking more cases on top of each other
- two lateral handles: when you need to hold the case from both sides
- comfortable soft-grip handle
- braked wheels to prevent unexpected movement



HPRC 2760W



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:

internal dimension 690x450x300(mm) - 27.16x17.71x11.81(in)
external dimension 750x510x329(mm) - 29.53x20.08x12.99(in)

lid: 50(mm) - 1.97(in) bottom: 250(mm) - 9.84(in)

Weight:

empty: 9,20kg - 20.28lbs
with cubed foam: 10,72kg - 23.63lbs

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black



* cubed foam




* interior bag



* soft padded open deck + dividers

TECHNICAL DRAWING




APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

W
volume in litres

ACCESSORIES

HPRCCUB2760W
CUBED FOAM
USA:HPRCF0 (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCBAG2760W
Interior bag
USA:HPRCIC (internal case)



HPRCSFD2760W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



HPRC 2780W



TECHNICAL FEATURES

Dimension:

internal dimension 749x525x366(mm) - 29.49x20.67x14.41(in)
external dimension 810x586,5x388(mm) - 31.89x23.09x15.28(in)

lid: 73(mm) - 2.87(in) bottom: 293(mm) - 11.53(in)

lit142

W

Weight:

empty: 12,20kg - 26.90lbs
with cubed foam: 16,18kg - 35.67lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* interior bag



* soft padded open deck + dividers




APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2780W
CUBED FOAM
USA:HPRCF0 (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCBAG2780W
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCORG2780W
LID ORGANIZER



HPRCSFD2780W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



* open cases images reflect the different HPRC cases internal options

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 749x525x455(mm) - 29.49x20.67x17.91(in)
external dimension 810x586.5x479(mm) - 31.89x23.09x18.86(in)

lid: 73(mm) - 2.87(in) bottom: 382(mm) - 15.03(in)

Weight:

empty: 13.20kg - 29.10lbs
with cubed foam: 17.43kg - 38.43lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black



TECHNICAL DRAWING



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2800W CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2800W INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2800W LID ORGANIZER	HPRCSFD800W SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)

HPRC 3500



TECHNICAL FEATURES

Dimension:

internal dimension 433x319x169(mm) - 17.05x12.56x6.65(in)
external dimension 498x370x185(mm) - 19.61x14.57x7.28(in)

lid: 72(mm) - 2.83(in) bottom: 97(mm) - 3.81(in)



Weight:

empty: 3,00kg - 6.61lbs
with cubed foam: 3,55kg - 7.82lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black




* cubed foam



* interior bag



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB3500
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCBAG3500
INTERIOR BAG
USA:HPRCIC (internal case)

HPRCORG3500
LID ORGANIZER





HPRC 4050

SHOULDER
CASE



TECHNICAL FEATURES

Dimension:

internal dimension 261x171x220(mm) - 10.28x6.73x8.66(in)
external dimension 284x223x260(mm) - 11.18x8.78x10.24(in)

lid: 24(mm) - 0.94(in) bottom: 196(mm) - 7.71(in)




Weight:
empty: 1,66kg - 3.66lbs
with cubed foam: 1,85kg - 4.07lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:
Black

TECHNICAL DRAWING



* cubed foam

* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4050 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCPADDEDSTRAP	HPRCSFD4050 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCPANELFRAME SUPPORT KIT	

**SHOULDER
CASE**



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:

internal dimension 401x231x231(mm) - 15.79x9.09x9.09(in)
external dimension 424x284x276,5(mm) - 16.69x11.18x10.89(in)

lid: 46(mm) - 1.81(in) bottom: 185(mm) - 7.28(in)




Weight:
empty: 2,78kg - 6.13lbs
with cubed foam: 3,27kg - 7.20lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:
Black

TECHNICAL DRAWING



* cubed foam



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4100 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCPADDEDSTRAP	HPRCSFD4100 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCPANELFRAME SUPPORT KIT	

HPRC 4200

SHOULDER
CASE



TECHNICAL FEATURES

Dimension:

internal dimension 460x240x400(mm) - 18.11x9.45x15.75(in)
external dimension 483x293x445,5(mm) - 19.02x11.54x17.54(in)

lid: 66(mm) - 2.60(in) bottom: 334(mm) - 13.14(in)

Weight:

empty: 5,00kg - 11.02lbs
with cubed foam: 6,03kg - 13.29lbs

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black



* cubed foam




* interior bag



* soft padded open deck + dividers

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERPROOF
INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4200 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCCBAG4200 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPADDEDSTRAP	HPRCSFD4200 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCPANELFRAME SUPPORT KIT

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 585x320x309(mm) - 23.03x12.60x12.17(in)
external dimension 690x380x355(mm) - 27.17x14.96x13.98(in)



lid: 80(mm) - 3.15(in) bottom: 229(mm) - 9.01(in)

Weight:

empty: 6,50kg - 14.33lbs
with cubed foam: 7,96kg - 17.54lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4300
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA-1
PADLOCK - TSA

HPRCBAG4300
INTERIOR BAG
USA:HPRC (internal case)

HPRCSFD4300 SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



HPRC 4300W



TECHNICAL FEATURES

Dimension:

internal dimension 585x320x300(mm) - 23.03x12.60x11.81(in)
external dimension 690x380x358(mm) - 27.17x14.96x14.09(in)

lid: 80(mm) - 3.15(in) bottom: 220(mm) - 8.66(in)



Weight:

empty: 7,30kg - 16.09lbs
with cubed foam: 8,76kg - 19.31lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam

* interior bag

* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4300W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA-1
PADLOCK - TSA

HPRCBAG4300W
INTERIOR BAG
USA:HPRCIC (internal case)

HPRCSFD4300W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 420x420x389(mm) - 16.54x16.54x15.31(in)
external dimension 479x481x437(mm) - 18.86x18.94x17.20(in)

lid: 65(mm) - 2.56(in) bottom: 324(mm) - 12.75(in)

lit74

Weight:

empty: 6,70kg - 14.77lbs
with cubed foam: 8,90kg - 19.62lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black



* cubed foam

ACCESSORIES

HPRCCUB4400
CUBED FOAM
USA:HPRCF0 (foam only)





HPRCL0708TSA-1
PADLOCK - TSA



HPRCKITW4400
wheel kit for 4400



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

W
volume in litres
wheeled

HPRC 4600W



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:

internal dimension 611x611x375(mm) - 24.05x24.05x14.76(in)
external dimension 670x677x418.5(mm) - 26.38x26.65x16.4(in)

lid: 85.5(mm) - 3.36(in) bottom: 289(mm) - 11.37(in)

lit129

W

Weight:

empty: 10,7kg - 23.54lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam

ACCESSORIES

HPRCCUB4600W
CUBED FOAM
USA:HPRCFO (foam only)

HPRCL0708TSA-1
PADLOCK - TSA



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL PROTECTION

* volume in litres
W wheeled





HPRC 4700W



TECHNICAL FEATURES

Dimension:

internal dimension 508x301x497(mm) - 20.00x11.85x19.57(in)
external dimension 572x412x564(mm) - 22.52x16.22x22.20(in)

lid: 23(mm) - 0.91(in) bottom: 474(mm) - 18.66(in)



Weight:

empty: 11,60kg - 25.57lbs
with cubed foam: 14,84kg - 32.71lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4700W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA-1
PADLOCK - TSA

HPRCBAG4700W
Interior bag
USA:HPRCIC (internal case)



HPRC 4800W



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:

internal dimension 720x320x600(mm) - 28.34x12.60x23.62(in)
external dimension 776x380x649(mm) - 30.55x14.96x25.55(in)

lid: 60(mm) - 2.36(in) bottom: 540(mm) - 21.25(in)



Weight:

empty: 10,00kg - 22.21lbs
with cubed foam: 14,10kg - 31.08lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black



* cubed foam



ACCESSORIES

HPRCCUB4800W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA-1
PADLOCK - TSA



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION





HPRC 5400W



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:

internal dimension 1140x350x160(mm) - 44.88x13.78x6.30(in)
external dimension 1175x410x181(mm) - 46.26x16.14x7.13(in)

lid: 45(mm) - 1.77(in) bottom: 115(mm) - 4.52(in)

Weight:

empty: 7,90kg - 17.42lbs
with cubed foam: 8,80kg - 19.40lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

lit64

W

TECHNICAL DRAWING



* cubed foam

* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB5400W
CUBED FOAM
USA:HPRCFO (foam only)

HPRCL0708TSA-1
PADLOCK - TSA

HPRCBAG5400W
INTERIOR BAG
USA:HPRCIC (internal case)



HPRC 6200



TECHNICAL FEATURES

Dimension:

internal dimension 651x279x243(mm) - 25.63x10.98x9.57(in)
external dimension 700x335x292(mm) - 27.56x13.19x11.50(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)

lit38

Weight:

empty: 4,00kg - 8.82lbs
with cubed foam: 5,80kg - 12.78lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* tri version



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION




ACCESSORIES

HPRCCUB6200
CUBED FOAM
USA:HPRCFO (foam only)



HPRCTRI6200-02
for tripods



HPRCL0708TSA-1
PADLOCK - TSA



* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 921x279x243(mm) - 36.26x10.98x9.57(in)
external dimension 970x335x285(mm) - 38.19x13.19x11.22(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)



Weight:

empty: 5,70kg - 12.57lbs
with cubed foam: 6,95kg - 15.32lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black





* cubed foam



* tri version

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION




ACCESSORIES

HPRCCUB6300W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCTRKIT-02
for tripods

HPRCL0708TSA-1
PADLOCK - TSA



HPRC 6400W



TECHNICAL FEATURES

Dimension:

internal dimension 1081x279x243(mm) - 42.56x10.98x9.57(in)
external dimension 1128x335x258(mm) - 44.41x13.19x11.22(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)



Weight:

empty: 6,30kg - 13.89lbs
with cubed foam: 7,84kg - 17.28lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black




* cubed foam



* tri version

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB6400W CUBED FOAM USA:HPRCF0 (foam only)	HPRCTRKIT-02 for tripods	HPRCL0708TSA-1 PADLOCK - TSA

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 1281x279x243(mm) - 50.43x10.98x9.57(in)
external dimension 1330x335x285(mm) - 52.36x13.19x11.22(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)



Weight:

empty: 7,20kg - 15.87lbs
with cubed foam: 9,03kg - 19.90lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black




* cubed foam



* tri version

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION




ACCESSORIES

HPRCCUB6500W
CUBED FOAM
USA:HPRCFO (foam only)

HPRCTRKIT-02
for tripods

HPRCL0708TSA-1
PADLOCK - TSA







TECHNICAL FEATURES

Dimension:

closed 394x280x27,5(mm) - 15.51x11.02x1.08(in)
open 464x350x27,5(mm) - 18.26x13.77x1.08(in)

Weight:

empty: 0,95kg - 2.09lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* tripod, laptop and shelter not included



APPROVALS

ATA 300
IP67
STANAG 4280
DS 81-41

TEST

DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



technical chart

HPRC1100		TTX
	internal dimension 57x58x25,5(mm) 2.24x2.28x1.00(in)	
lt0,1	external dimension 69x80x32(mm) 2.72x3.15x1.26(in)	

weight empty
empty: 0,04kg - 0.09lbs

Colors
Black - Ferrari red

HPRC1300		TTX
	internal dimension 116x67x25,5(mm) 4.57x2.64x1.00(in)	
lt0,2	external dimension 127x90x32(mm) 5.00x3.54x1.26(in)	

weight empty
empty: 0,09kg - 0.19lbs

Colors
Black - Ferrari red

HPRC1400		TTX
	internal dimension 180x110x40(mm) 7.08x4.33x1.57(in)	
lt0,3	external dimension 200x142x48(mm) 7.87x5.59x1.88(in)	

weight empty
empty: 0.60kg - 1.32lbs

Colors
Black

NEW

HPRC2100		TTX
	internal dimension 210x145x94(mm) 8.27x5.71x3.70(in)	
lt3	external dimension 235x196x110(mm) 9.25x7.72x4.33(in)	

weight empty
empty: 0,76kg - 1.68lbs

Colors
Black - Orange - Ferrari red - Electric blue

HPRC2200		TTX
	internal dimension 236x182x108(mm) 9.29x7.17x4.25(in)	
lt5	external dimension 258x230x123(mm) 10.16x9.06x4.84(in)	

weight empty
empty: 0,87kg - 1.92lbs

Colors
Black

HPRC2250		TTX
	internal dimension 236x182x155(mm) 9.29x7.17x6.10(in)	
lt7	external dimension 258x230x170(mm) 10.16x9.06x6.69(in)	

weight empty
empty: 1,00kg - 2.20lbs

Colors
Black

HPRC2300		TTX
	internal dimension 304x231x137(mm) 11.97x9.09x5.39(in)	
lt10	external dimension 335x289x155(mm) 13.19x11.38x6.10(in)	

weight empty
empty: 1,67kg - 3.68lbs

Colors
Black - Orange - Ferrari red - Electric blue

HPRC2350		TTX
	internal dimension 340x235x99(mm) 13.38x9.25x3.90(in)	
lt7,7	external dimension 365x290x115(mm) 14.37x11.42x4.53(in)	

weight empty
empty: 1.48kg - 3.25lbs

Colors
Black

HPRC2400		TTX
	internal dimension 380x266x152(mm) 14.96x10.47x5.98(in)	
lt15	external dimension 405x330x170(mm) 15.94x12.99x6.69(in)	

weight empty
empty: 2,05kg - 4.52lbs

Colors
Black - Orange - Ferrari red - Electric blue

HPRC2460		TTX
	internal dimension 409x306x175(mm) 16.10x12.05x6.89(in)	
lt21,5	external dimension 434x371x193(mm) 17.09x14.61x7.60(in)	

weight empty
empty: 2,60kg - 5.73lbs

Colors
Black

HPRC2500		TTX
	internal dimension 450x323x175(mm) 17.72x12.72x6.89(in)	
lt25	external dimension 478x390x194(mm) 18.82x15.35x7.64(in)	

weight empty
empty: 3,15kg - 6.94lbs

Colors
Black - Orange - Ferrari red - Electric blue

HPRC2530		TTX
	internal dimension 513x288x132(mm) 20.20x11.34x5.20(in)	
lt19	external dimension 540x350x153(mm) 21.26x13.78x6.02(in)	

weight empty
empty: 3,20kg - 7.05lbs

Colors
Black

HPRC2550W

internal dimension
513x288x200(mm)
20.19x11.34x7.87(in)



external dimension
549x346x236(mm)
21.61x13.62x9.29(in)



weight empty
4,35kg - 9.57lbs



Colors
Black - Orange -
Ferrari red -
Electric blue

HPRC2580

internal dimension
390x310x89(mm)
15.35x12.20x3.50(in)



external dimension
410x359x110(mm)
16.14x14.13x4.33(in)

HPRC2600

internal dimension
492x366x202(mm)
19.37x14.41x7.95(in)



external dimension
555x432x223(mm)
21.85x17.01x8.78(in)



weight empty
4,25kg - 9.37lbs



Colors
Black - Orange - Ferrari red -
Electric blue

HPRC2600W

internal dimension
482x358x218(mm)
18.98x14.09x8.58(in)



external dimension
546x423x250(mm)
21.05x16.65x9.84(in)



weight empty
6,05kg - 13.34lbs



Colors
Black - Orange - Electric blue

HPRC2700

internal dimension
555x459x205(mm)
21.85x18.07x8.07(in)



external dimension
617x525x227(mm)
24.29x20.67x8.94(in)

HPRC2700W

internal dimension
555x459x256(mm)
21.85x18.07x10.08(in)



external dimension
620x525x280(mm)
24.41x20.67x11.02(in)



weight empty
8,30kg - 18.30lbs



Colors
Black - Orange - Ferrari red

HPRC2710

internal dimension
555x459x256(mm)
21.85x18.07x10.08(in)



external dimension
617x525x280(mm)
24.29x20.67x11.02(in)



weight empty
6.71kg - 14.76lbs



Colors
Black

HPRC2730W

internal dimension
509x460x316(mm)
20.04x18.11x12.44(in)



external dimension
620x520x350(mm)
24.41x20.47x13.78(in)

HPRC2760W

internal dimension
690x450x300(mm)
27.16x17.71x11.81(in)



external dimension
750x510x329(mm)
29.53x20.08x12.99(in)



weight empty
9,20kg - 20.28lbs



Colors
Black

HPRC2780W

internal dimension
749x525x366(mm)
29.49x20.67x14.41(in)



external dimension
810x586,5x388(mm)
31.89x23.09x15.28(in)



weight empty
12,20kg - 26.90lbs



Colors
Black

HPRC2800W

internal dimension
749x525x455(mm)
29.49x20.67x17.91(in)



external dimension
810x586,5x479(mm)
31.89x23.09x18.86(in)

HPRC3500

internal dimension
433x319x169(mm)
17.05x12.56x6.65(in)



external dimension
498x370x185(mm)
19.61x14.57x7.28(in)



weight empty
3,00kg - 6.61lbs



Colors
Black

technical chart

HPRC4050		
	internal dimension 261x171x220(mm) 10.28x6.73x8.66(in)	
	external dimension 284x223x260(mm) 11.18x8.78x10.24(in)	
	weight empty 3,00kg - 6.61lbs Colors Black	

HPRC4100		
	internal dimension 401x231x231(mm) 15.79x9.09x9.09(in)	
	external dimension 424x284x276,5(mm) 16.69x11.18x10.89(in)	
	weight empty 2,78kg - 6.13lbs Colors Black	

HPRC4200		
	internal dimension 460x240x400(mm) 18.11x9.45x15.75(in)	
	external dimension 483x293x445,5(mm) 19.02x11.54x17.54(in)	
	weight empty 5,35kg - 11.79lbs Colors Black	

HPRC4300		
	internal dimension 585x320x309(mm) 23.03x12.60x12.17(in)	
	external dimension 690x380x355(mm) 27.17x14.96x13.98(in)	

HPRC4300W		
	internal dimension 585x320x300(mm) 23.03x12.60x11.81(in)	
	external dimension 690x380x358(mm) 27.17x14.96x14.09(in)	

HPRC4400		
	internal dimension 420x420x389(mm) 16.54x16.54x15.31(in)	
	external dimension 479x481x437(mm) 18.86x18.94x17.20(in)	

HPRC4600W		
	internal dimension 611x611x375(mm) 24.05x24.05x14.76(in)	
	external dimension 670x677x418,5(mm) 26.38x26.65x16.4(in)	

HPRC4700W		
	internal dimension 508x301x497(mm) 20.00x11.85x19.57(in)	
	external dimension 572x412x564(mm) 22.52x16.22x22.20(in)	

HPRC4800W		
	internal dimension 720x320x600(mm) 28.34x12.60x23.62(in)	
	external dimension 776x380x649(mm) 30.55x14.96x25.55(in)	

Discover all our products
at: www.hprc.it

Plaber S.r.l reserves the right to modify its products at any time and without notice, in order to better their quality and functionality. Therefore, all the information given in this datasheet is to be considered indicative and subject to possible modifications.

HPRC5400W		
	internal dimension 1140x350x160(mm) 44.88x13.78x6.30(in)	
	external dimension 1175x410x181(mm) 46.26x16.14x7.13(in)	
	weight empty 7,90kg - 17.42lbs	
	Colors Black	

HPRC6200		
	internal dimension 651x279x243(mm) 25.63x10.98x9.57(in)	
	external dimension 700x335x292(mm) 27.56x13.19x11.50(in)	
	weight empty 4,00kg - 8.82lbs	
	Colors Black	

HPRC6300W		
	internal dimension 921x279x243(mm) 36.26x10.98x9.57(in)	
	external dimension 970x335x285(mm) 38.19x13.19x11.22(in)	
	weight empty 5,70kg - 12.57lbs	
	Colors Black	


HPRC6400W		
	internal dimension 1081x279x243(mm) 42.56x10.98x9.57(in)	
	external dimension 1128x335x258(mm) 44.41x13.19x11.22(in)	
	weight empty 6,30kg - 13.89lbs	
	Colors Black	

HPRC6500W		
	internal dimension 1281x279x243(mm) 50.43x10.98x9.57(in)	
	external dimension 1330x335x285(mm) 52.36x13.19x11.22(in)	
	weight empty 7,20kg - 15.87lbs	
	Colors Black	

HPRC0500		
	dimension closed 394x280x27,5(mm) 15.51x11.02x1.08(in)	
	dimension open 464x350x27,5(mm) 18.26x13.77x1.08(in)	
	weight empty empty: 0,95kg - 2.09lbs	
	Colors Black	



Stand by. More to follow.



SERVICES



Rent a case: Innovative rental solutions for each equipment and situation.



HPRC Bespoke: External shell customization to make your case unique. Create your own.

THE FOAM COMPANY
BASSANO

The Foam Factory: Custom-designed foam inserts, no minimum quantity required.

H P R C C A S E S
MADE IN ITALY
MANUFACTURED

 Find us
on Facebook

 PlaberItalia
Channel



Plaber s.r.l.
Via Div Tridentina, 10
I-36061 Bassano del Grappa
Vicenza - Italy

Tel +39 0424 809 150

USA office and warehouse:

Plaber America Inc
240 Anderson Avenue
07074 Moonachie - New Jersey

Tel +1 201 989 3353

www.hprc.it | www.hprcusa.com

info@hprc.it