



2021 CASES WORKBOOK



H P R C C A S E S



Our Brand

We're about happiness by cases. It means we're not just in the business of creating protective cases, even though that is what we do. Our everyday commitment is designed to make people happy.

From an ever-growing collection of innovative products to our passionate team who makes it happen, it's all about happiness.

Our Products

We're always looking for what's next. We're constantly innovating our original designed form and function, proving a fresh approach to the art of cases. By incorporating different styles, top quality materials and eye-catching patterns into our design, we make more than a case. We make a statement.

Our History

HPRC cases were born in 2006 with one simple premise: we can design a better case. In almost 10 years HPRC has grown into a successful international business, teaming up with important companies and partners. Our products can be found in 76 countries and have garnered top awards and praise. As we grow, our entrepreneurial spirit continues to drive the HPRC culture. After all, it's what helped us build one of the world's best hard cases brand.



Inside the **R**-Evolution

Revolution begins inside first: we start every day thinking different, exploring new ideas, projects and solutions. We work side by side in Italy, but we turn to people all around the world to inspire and get inspired.

We are involved in a constant revolution that goes hand in hand with the spirit of renewal of the brand. Our day-to-day commitment is to meet customer needs and personalize their journey. To do better, to offer the best.



Blue Bassano: new color, the best of us

Different color, new logo, refreshed style, best materials and services to look at the future.

Same quality and warranty provided.

HPRC is synonymous of change: a sense of urgency around the need of **R-Evolution**.

Ultralight. Watertight. Smart Cases.

HPRC cases can be used for all sorts of applications and different areas: photography, industrial, military, nautical, police and many others. HPRC provides total protection to the carried equipment against dust, water, impacts and corrosion for chemical agents.



Outdoor | Diving | Marine



Photo | Video





Industrial | Electronic | It



Military | Government



Fire | Emergency | Medical

Photo by Flavio Oliva

Highlights

STRUCTURAL AND VISUAL UPGRADING



New mechanics and engineering of the short sides which provide more resistance to the shell, greater light-weight and improved flexibility.



Refresh of the external surface with a wrinkle effect to the smoothed parts. A new professional and essential design which upgrades the aesthetic while improving the mechanical properties of the shell.



New Name Plate: larger in dimensions, more shock-resistant and refreshed in design.

ALL TERRAIN WHEELS SYSTEM



- cutting-edge innovation for a great grip
- use in any area and different weather conditions, ensuring versatility
- high performance in wet and dry conditions
- sure-footedness in a wide range of fields (asphalt, sand, stones, snow, porphyry)
- rolls smoothly for hundreds of miles
- more stability and enhanced safety
- easy wheels replacement
- increased wheels durability



DRYKEEPER

Protect your gear from moisture

Dry Keeper is a special container designed to protect your items from mildew, deterioration and damages caused by high humidity. The orange spherical Silica Gel is composed of a naturally occurring mineral silicon dioxide that is purified and processed into a beaded form. Silica Gel has a high absorption capacity and will remove moisture at temperatures as high as 150° F (65°C). Fits all cases.



LIZARD PATT

A revolutionary ergonomic handle, made of PP and SEBS material, which provides:

- high quality and secure grip, even in low temperatures and wet conditions
- no-slip for better control and safety, also in the presence of oils, grease and liquids
- greater level of comfort
- optimal handling
- scratch protection
- strengthened resistance
- long durability



SERVICES



Custom Laser Design

Custom Laser Design

HPRC CUSTOM LASER DESIGN is the new HPRC service born to offer endless possibilities to customize and add value to your case. No minimum order quantity. Technical support, graphic development and fast turnaround.



Business Solution

Professional Custom Cases Solution

Our staff is passionate about developing high-quality tailor-made solutions to meet all your requirements.

THE FOAM COMPANY
BASSANO

The Foam Factory

Custom-designed foam inserts, no minimum quantity required.

Commitments

Our Commitments to you:

1.**UNDERSTAND** the problems of your market and your specific requirements. Through our expert knowledge of technological and economic trends we can offer an uncompromisingly individual approach to each customer.

2.**FIND** a transport solution tailored to your requirements. Our extensive cases range, our custom solutions that go far beyond our product offer, our team that assists you in selecting the case that is best suited to your own needs, are our core strengths.

3.**LISTEN** to and take account of your comments, through our network of experts and our frequent satisfaction surveys.

4.**BE** incessantly innovative and competitive in the professional cases market.

HPRC: innovation, technology and design.

Most of hard watertight cases are made in standard pp: our r&d department has developed an enhanced compound, still based on pp, now balanced with additional high performance resins. Ttx01® allows to produce cases which are lighter in weight and stronger in robustness. The special mix we added makes the HPRC shell thinner and more elastic, increasing therefore the shockproof degree and the lightweight. On the top of that, maintaining pp characteristics, HPRC cases are acidproof, scratchproof, able to resist to extreme weather conditions and temperature changes (all products are tested from - 40° c up to 80°c).

Do you want to know more?
Please contact our technical team: tech@hprc.it



pole: ALU



body: TTX01® hardware: steel



wheels: PA66+PUR



handle: PP+SEBS



latches: POM



ext.handle: PA66GF30



HPRC life time warranty: HPRC products have been built to rigorous standards of quality and are guaranteed against all defects in materials and workmanship for the whole life of the case.



Airex is the new automatic purge valve that is auto press release adjusted to changing environments automatically.

The attention and respect toward the environment and the commitment to an eco-sustainable future are important values for HPRC

Our commitment starts from the design phase of the product, and involves all the production stages including the management of the impact of the product's end of life. All shells and components of HPRC cases are 100% recyclable: the production and transformation discards are infact reintegrated in the production cycle. The high resistance of the patented material ttx01® allows to use the HPRC cases longer than any other case, reducing therefore the emissions of CO2 due to the production

 we case in **green.**

and distribution. The constant quest for suppliers complying with iso 14000 or emas certification and which are geographically close to our company is a contribute to reduce the environmental impact and represents a challenge in a world where firms usually aim only for low price suppliers not considering their possibly higher environmental impact. Moreover HPRC adopts renewable sources plants for energy production to cover the energetic needs.

Standard cases

HPRC cases are available with a standard setup if you don't need any special customization regarding the shell or the interior foam. Here are the 5 possible standard configurations.

* CUBED FOAM - USA: F



* SOFT PADDED OPEN DECK + DIVIDERS - USA: DK



* EMPTY - USA: E



* INTERIOR BAG - USA: IC



* SECOND SKIN - USA: SK



HPRC
SECOND
- SKIN -

* PANEL FRAME MOUNTING SYSTEM AVAILABLE

Oem cases

We are cases producers,
if you do not find the right size or best liked design
we will make a customized case for you

1. Product inquiry >>>> Mold + price offer
2. Contract signing >>>> Design drawing
3. Client confirmation >>>> Mold making
4. Sample checking >>>> Production arrangement



Custom fit cases

Customization concerns: color, printing, adhesive, foam inlay (die cut, water cut, milled, moulded), thermoformed inlay, lid panels and organizer, extra working on the cases shell (holes, external applications) keeping the water tightness.



HIGH VISIBILITY INLAYS

A special high visibility inlay can be designed in order to avoid forgetting equipment on the field after use.



CUSTOMIZED LAYOUT

We give customers different equipment layouts options in order to optimize space and handiness.



CUSTOMIZED COVERS

Customization also includes the possibility to design solutions in order to use the cover as a glove compartment. We can provide organizers, special tools addition, shell modifications and custom colors.



SHELL CUSTOMIZATION

HPRC customization service also provides shell customization, including holes for external connections.

HPRC panel frame accessory (HPRCPF) allows customers to install a control panel into the case, ensuring a perfect fit.



INJECTION INLAYS

The custom inlay made in expanded polypropylene of different densities guarantees a perfect protection and a professional look to the case. Our service includes the initial study of the mould and goes through the prototype phase and final production.



MILLED FOAMS

The milling technology allows to get one piece inlays with many different depths.



WATER CUTTING TECHNOLOGY FOAMS

Expanded polyethylene foams are available in various densities (Kg/m³), resistance to compression (kPa) and resistance to different temperatures ranges (°C). These foams, produced with water cutting technology, guarantee a good protection and allow a wide range of customizations.



MULTI LAYER

A multi layer case is a handy solution, especially when equipment is made of many small and different parts that must be stored and protected into one case only.


HPRC 1100



TECHNICAL FEATURES

Dimension: internal dimension 57x58x25,5(mm) - 2.24x2.28x1.00(in) external dimension 69x80x32(mm) - 2.72x3.15x1.26(in) lid: 12,8(mm) - 0.50(in) bottom: 12,7(mm) - 0.50(in) Weight: empty: 0,04kg - 0.09lbs available empty or with memory card storage Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F Colors: Black - Ferrari red	
--	--

TECHNICAL DRAWING



* memory card case	* empty case	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
 - 4 of SD cards
 - 1 of XQD card
 - 1 of CF card
- Full/empty indicator



Both models with our trademark
“Full – Empty” switch: just flip the arrow towards
the desired E-F position and get straight access
to your cards.



TECHNICAL FEATURES

Dimension:

internal dimension 116,1x67,6x25,6(mm) - 4.57x2.66x1(in)
external dimension 127,5x90x32(mm) - 5.02x3.54x1.26(in)

lid: 12,8(mm) - 0.50(in) bottom: 12,7(mm) - 0.50(in)

Weight:

empty: 0,09kg - 0.19lbs

available empty or with memory card storage

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Ferrari red



TECHNICAL DRAWING



* cubed foam



* memory card case



* memory Card Case for video



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
 - 8 of SD cards
 - 4 of XQD cards
 - 4 of CF cards
- Full/empty indicator




HPRC 1400



TECHNICAL FEATURES

Dimension: internal dimension 180x110x40(mm) - 7.08x4.33x1.57(in) external dimension 200,3x142,4x48(mm) - 7.89x5.61x1.89(in) lid: 20(mm) - 0.78(in) bottom: 20(mm) - 0.78(in)	
Weight: empty: 0,26kg - 0,57lbs available empty or with cubed foam	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black	

TECHNICAL DRAWING



			APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	

* empty

* cubed foam




HPRC 2100



TECHNICAL FEATURES

Dimension: internal dimension 214,5x150,5x94,4(mm) - 8.44x5.93x3.72(in) external dimension 235,5x201,2x110,4(mm) - 9.27x7.92x4.35(in) lid: 18(mm) - 0.71(in) bottom: 76(mm) - 2.99(in)	
Weight: empty: 0,74kg - 1.63lbs with cubed foam: 0,84kg - 1.85lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black - Orange - Ferrari red - Electric blue	

TECHNICAL DRAWING



* cubed foam	* interior bag	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

ACCESSORIES

HPRCCUB2100 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2100 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-001-01 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR



TECHNICAL FEATURES

Dimension:

internal dimension 236x182x108(mm) - 9.29x7.17x4.25(in)
external dimension 258x244,3x123,3(mm) - 10.16x9.62x4.85(in)

lid: 29(mm) - 1.14(in) bottom: 79(mm) - 3.11(in)

Weight:

empty: 0,87kg - 1.92lbs
with cubed foam: 1,08kg - 2.38lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2200
CUBED FOAM
USA:HPRCFO (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCBAG2200
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCPF-002-01
PANEL FRAME
(panel not included)



DRYKEEPER
ZAC-DRYKPR





TECHNICAL FEATURES

Dimension:

internal dimension 305,7x232,4x137,5(mm) - 12.04x9.15x5.41 (in)
external dimension 334,6x303x155,2(mm) - 13.17x11.93x6.11(in)



lid: 31(mm) - 1.22(in) bottom: 106(mm) - 4.17(in)

Weight:

empty: 1,75kg - 3.86lbs
with cubed foam: 1,90kg - 4.19lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



* cubed foam	* interior bag	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

ACCESSORIES

HPRCUB2300 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2300 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-003-01 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR

HPRC 2350



TECHNICAL FEATURES

Dimension:
internal dimension 340x235x99(mm) - 13.39x9.25x3.90(in)
external dimension 365x293x115,5(mm) - 14.37x11.54x4.55(in)
lid: 29(mm) - 1.14(in) bottom: 70(mm) - 2.75(in)


Weight:
empty: 1.49kg - 3.29lbs
with cubed foam: 1.66kg - 3.65lbs

Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCF2350
CUBED FOAM
USA: HPRCFO (foam only)



HPRCSTRAP



HPRCLO708TSA-1
PADLOCK - TSA



DRYKEEPER
ZAC-DRYKPR





PRADA

PRADA

PRADA
Bc
1
C4

PRADA
Bc
1

PRADA
Bc
1

PRADA
Bc
1

PRADA
Bc
1

HPRC 2400



TECHNICAL FEATURES

Dimension:
internal dimension 377x263,9x150,8(mm) - 14.84x10.39x5.94(in)
external dimension 402X330,5X169,2(mm) - 15.83x13.01x6.66(in)

lid: 45(mm) - 1.77(in) bottom: 107(mm) - 4.21(in)


Weight:
empty: 2,23kg - 4.92lbs
with cubed foam: 2,58kg - 5.69lbs

Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F

Colors:
Black - Orange - Ferrari red - Electric blue



TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2400
CUBED FOAM
USA:HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCBAG2400
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCORG2400
LID ORGANIZER



HPRCPF-004-01
PANEL FRAME
(panel not included)



DRYKEEPER
ZAC-DRYKPR





TECHNICAL FEATURES

Dimension:

internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)
external dimension 435x377,8x193(mm) - 17.13x14.87x7.60(in)

lit 21.5

lid: 70(mm) - 2.76(in) bottom: 105(mm) - 4.14(in)

Weight:

empty: 2,55kg - 5.62lbs
with cubed foam: 3,14kg - 6.92lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lit volume in litres
wheeled

ACCESSORIES

HPRCUB2460
CUBED FOAM
USA: HPRCFO (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCBAG2460
INTERIOR BAG
USA: HPRCIC (internal case)



HPRCORG2460
LID ORGANIZER



HPRCPF-005-01
PANEL FRAME
(panel not included)



DRYKEEPER
ZAC-DRYKPR




HPRC 2500



TECHNICAL FEATURES

Dimension: internal dimension 449,8x322,9x174,9(mm) - 17.71x12.71x6.89(in) external dimension 478,1x389,4x194(mm) - 18.82x15.33x7.64(in) lid: 46(mm) - 1.81(in) bottom: 129(mm) - 5.08(in)	 
Weight: empty: 3,08kg - 6.79lbs with cubed foam: 3,71kg - 8.18lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black - Orange - Ferrari red - Electric blue	

TECHNICAL DRAWING



			   
* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41
			TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION
			lit volume in litres 

ACCESSORIES

HPRCUB2500 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR	HPRCBAG2500 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2500 LID ORGANIZER	HPRCPF-006-01 PANEL FRAME (panel not included)	HPRCsFD2500 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)
						



TECHNICAL FEATURES

Dimension:

internal dimension 513x288x132(mm) - 20.20x11.34x5.20(in)
external dimension 540x350x153(mm) - 21.26x13.78x6.02(in)



lid: 46(mm) - 1.81(in) bottom: 86(mm) - 3.25(in)

Weight:

empty: 3,20kg - 7.05lbs
with cubed foam: 3,26kg - 7.19lbs


Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* soft padded open deck + dividers



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2530
CUBED FOAM
USA:HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



DRYKEEPER
ZAC-DRYKPR



HPRCBAG2530
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCSTRAP



HPRCORG2530
LID ORGANIZER



HPRCSFD2530 SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)




HPRC 2550W



TECHNICAL FEATURES

Dimension: internal dimension 513x288x200(mm) - 20.19x11.34x7.87(in) external dimension 549x346x236(mm) - 21.61x13.62x9.29(in) lid: 48(mm) - 1.88(in) bottom: 152(mm) - 5.98(in)	  
Weight: empty: 4,82kg - 10.63lbs with cubed foam: 5,51kg - 12.15lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black - Orange - Ferrari red - Electric blue - Gravel Grey	

TECHNICAL DRAWING



			   
* cubed foam	* interior bag	* second skin	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION 

ACCESSORIES

HPRCCUB2550W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2550W-01 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG-004-01 LID ORGANIZER	HPRCSSK2550W-01 SECOND SKIN	DRYKEEPER ZAC-DRYKPR	HPRCPF-006-01 PANEL FRAME (panel not included)
						



TECHNICAL FEATURES

Dimension:

internal dimension 390x310x89(mm) - 15.35x12.20x3.50(in)
external dimension 411x364,8x110(mm) - 16.18x14.36x4.33(in)



lid: 44(mm) - 1.73(in) bottom: 45(mm) - 1.77(in)

Weight:

empty: 2,40kg - 5.29lbs
with cubed foam: 2,57kg - 5.67lbs




Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F



Colors:
Black

TECHNICAL DRAWING



* cubed foam	* interior bag	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

ACCESSORIES

HPRCUB2580 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCSTRAP	HPRCORG2580 LID ORGANIZER	DRYKEEPER ZAC-DRYKPR


HPRC 2600



TECHNICAL FEATURES

Dimension: internal dimension 482,4x358,3x198,1(mm) - 18.99x14.10x7.80(in) external dimension 543,4x426,8x218,1(mm) - 21.39x16.8x8.59(in) lid: 46(mm) - 1.81(in) bottom: 152(mm) - 5.98(in) Weight: empty: 4,25kg - 9.37lbs with cubed foam: 5,05kg - 11.13lbs Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F Colors: Black - Orange - Ferrari red - Electric blue	
---	---

TECHNICAL DRAWING



			   
* cubed foam	* interior bag	* second skin	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION  Lt34 volume in litres 

ACCESSORIES

HPRCCUB2600 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR	HPRCBAG2600 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2600 LID ORGANIZER	HPRCPF-007-01 PANEL FRAME (panel not included)	HPRCSSK2600-01 SECOND SKIN
						

HPRC 2600W



TECHNICAL FEATURES

Dimension:

internal dimension 482,4x358,3x217,6(mm) - 18.99x14.1x8.57(in)
external dimension 546,9x426,8x250,7(mm) - 21.53x16.8x9.87(in)

lt38

lid: 46(mm) - 1.81(in) bottom: 172(mm) - 6.77(in)

Weight:

empty: 6,05kg - 13.34lbs
with cubed foam: 6,97kg - 15.37lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Electric blue - Gravel Grey



TECHNICAL DRAWING



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lit volume in litres



ACCESSORIES

HPRCCUB2600W
CUBED FOAM
USA:HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



DRYKEEPER
ZAC-DRYKPR



HPRCBAG600W
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCORG2600W
LID ORGANIZER



HPRCPF-007-01
PANEL FRAME
(panel not included)



HPRCSSK2600W-01
SECOND SKIN



SECOND
SKIN


HPRC 2700



TECHNICAL FEATURES

Dimension: internal dimension 555x459x205(mm) - 21.85x18.07x8.07(in) external dimension 617x525x227(mm) - 24.29x20.67x8.94(in) lid: 45(mm) - 1.77(in) bottom: 160(mm) - 6.29(in)	
Weight: empty: 5,55kg - 12.24lbs with cubed foam: 6,71kg - 14.79lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black - Orange - Ferrari red	

TECHNICAL DRAWING



			
* cubed foam	* interior bag		APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION  Lt volume in litres  wheeled

ACCESSORIES

HPRCUB2700 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2700 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2700 LID ORGANIZER	HPRCPF-008-01 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR

HPRC 2700W



TECHNICAL FEATURES

Dimension:

internal dimension 554,7x458,7x246(mm) - 21.84x18.06x9.69(in)
external dimension 617,5x527,3x279,6(mm) - 24.31x20.76x11.0(in)

lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)

Weight:

empty: 7,75kg - 17.09lbs
with cubed foam: 9,07kg - 19.99lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black - Orange - Ferrari red - Gravel Grey

lt65

W

TECHNICAL DRAWING



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lt + volume in litres

W

ACCESSORIES

HPRCUB2700W
CUBED FOAM
USA: HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



DRYKEEPER
ZAC-DRYKPR



HPRCBAG2700W
INTERIOR BAG
USA: HPRCIC (internal case)



HPRCORG2700W
LID ORGANIZER



HPRCSSK2700W-01
SECOND SKIN



HPRCPF-008-01
PANEL FRAME
(panel not included)



HPRC 2710



TECHNICAL FEATURES

Dimension:

internal dimension 555x459x256(mm) - 21.85x18.07x10.08(in)
external dimension 617x525x280(mm) - 24.29x20.67x11.02(in)

lit64

lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)

Weight:

empty: 6.56kg - 14.46lbs
with cubed foam: 7,96kg - 17.55


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



APPROVALS

ATA 300
IP67
STANAG 4280
DS 81-41

TEST

DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lit volume in litres



wheeled

ACCESSORIES

HPRCUB2710
CUBED FOAM
USA:HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCPF-008-01
PANEL FRAME
(panel not included)



HPRCORG2710
LID ORGANIZER



DRYKEEPER
ZAC-DRYKPR



HPRC 2730W



TECHNICAL FEATURES

Dimension:

internal dimension 503x459x316(mm) - 19.80x18.07x12.44(in)
external dimension 616,9x531x349,6(mm) - 24.29x20.91x13.76(in)

lid: 45(mm) - 1.77(in) bottom: 271(mm) - 10.66(in)

Weight:

empty: 8,41kg - 18.54lbs
with cubed foam: 10,43kg - 22.99lbs

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F


Colors:

Black

lt72

W

TECHNICAL DRAWING



* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	lt volume in litres	W wheeled

ACCESSORIES

HPRCUB2730W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2730W INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2730W LID ORGANIZER	HPRCSD2730W SOFT PADDED OPEN DECK + DIVIDERS USA: HPRC DK (divider kit)	DRYKEEPER ZAC-DRYKPR


HPRC 2745W



TECHNICAL FEATURES

Dimension: internal dimension 771x401x247(mm) - 30.35x15.78x9.72 (in) external dimension 822x452x294(mm) - 32.36x17.79x11.57 (in) lid 52(mm) - 2.04(in) bottom: 195(mm) - 7.68(in)	
Weight: empty: 7,38kg - 16.27lbs with cubed foam: 9,10kg - 20.06	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black, Gravel Grey	

TECHNICAL DRAWING



* empty	* cubed foam	* second skin	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41
			TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION
			lt volume in litres

ACCESSORIES

HPRCUB2745W CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCSSK2745W-01 SECOND SKIN	DRYKEEPER ZAC-DRYKPR	



HPRC 2760W



When innovation becomes a case

Main features:

- 4 built in wheels: roll the case along by simply pushing it while it's on the ground
- two side handles: push or pull the case as a trolley
- stackable exterior lid design: use the case as a cart by stacking more cases on top of each other
- two lateral handles: when you need to hold the case from both sides
- comfortable soft-grip handle
- braked wheels to prevent unexpected movement



HPRC 2760W



TECHNICAL FEATURES

Dimension:

internal dimension 690x450x301(mm) - 27.16x17.72x11.85(in)
external dimension 750x511x329(mm) - 29.53x20.12x12.95(in)

lid: 50(mm) - 1.97(in) bottom: 250(mm) - 9.84(in)

Weight:

empty: 8,93kg - 19.69lbs
with cubed foam: 10,72kg - 23.63lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

lt91

W

TECHNICAL DRAWING



			   
* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41
			TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION
			lt91 volume in liters W

ACCESSORIES

HPRCUB2760W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2760W Interior bag USA:HPRCIC (internal case)	HPRCsFD2760W SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	DRYKEEPER ZAC-DRYKPR
				

A black Pelican 1515 hard-shell case, shown from a front-three-quarter view. The case features teal-colored handles and latches. It has a robust, rectangular design with visible hinges and locking mechanisms. The top surface shows some wear and a small label. The case is set against a plain white background.

HPRC 2800W



TECHNICAL FEATURES

Dimension:

internal dimension 748,6x524,6x454,6(mm) - 29.47x20.65x17.9(in)
external dimension 813,3x586,5x480,5(mm) - 32.02x23.9x18.92(in)

lid: 73(mm) - 2.87(in) bottom: 382(mm) - 15.03(in)

Weight:

empty: 13,25kg - 29.22lbs
with cubed foam: 17,43kg - 38.43lbs

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F


Colors:

Black

ft 179



TECHNICAL DRAWING



* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	ft volume in litres	

ACCESSORIES

HPRCUB2800W CUBED FOAM USA: HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2800W INTERIOR BAG USA: HPRCIC (internal case)	HPRCORG2800W LID ORGANIZER	HPRCSFD800W SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	DRYKEEPER ZAC-DRYKPR

HPRC 3500



TECHNICAL FEATURES

Dimension:

internal dimension 433,5x319,3x168,8(mm) - 17.07x12.57x6.65(in)
external dimension 497,9x370,3x184,9(mm) - 19.6x14.58x7.28(in)

lid: 72(mm) - 2.83(in) bottom: 97(mm) - 3.81(in)

Weight:

empty: 3,00kg - 6.61lbs
with cubed foam: 3,55kg - 7.82lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

lt20



TECHNICAL DRAWING



* cubed foam

* interior bag



APPROVALS

ATA 300
IP67
STANAG 4280
DS 81-41

TEST

DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lt volume in litres



ACCESSORIES

HPRCUB3500

CUBED FOAM
USA:HPRCFO (foam only)



HPRCBAG3500

INTERIOR BAG
USA:HPRCIC (internal case)



HPRCORG3500

LID ORGANIZER



DRYKEEPER

ZAC-DRYKPR





TECHNICAL FEATURES

Dimension:

internal dimension 479x354x194(mm) - 18.86x13.94x7.64(in)
external dimension 542x402x220(mm) - 21.34x15.83x8.66(in)

It 28.5

lid: 80(mm) - 3.15(in) bottom: 114(mm) - 4.48(in)

Weight:

empty: 3,22kg - 7.10lbs
with cubed foam: 3,85kg - 8.49lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* empty



* cubed foam



* second skin



APPROVALS

ATA 300
IP67
STANAG 4280
DS 81-41

TEST

DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

It volume in litres



ACCESSORIES

HPRCUB3600

CUBED FOAM
USA: HPRCFO (foam only)



HPRCLO708TSA-1

PADLOCK - TSA



HPRCSSK3600

SECOND SKIN



SECOND SKIN



DRYKEEPER

ZAC-DRYKPR




HPRC 4050



TECHNICAL FEATURES

Dimension: internal dimension 261x171x220(mm) - 10.28x6.73x8.66(in) external dimension 284x223x260(mm) - 11.18x8.78x10.24(in) lid: 24(mm) - 0.94(in) bottom: 196(mm) - 7.71(in)	
Weight: empty: 1,82kg - 4.01lbs with cubed foam: 1,85kg - 4.07lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black	

TECHNICAL DRAWING



* cubed foam	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION

ACCESSORIES

HPRC CUBED FOAM CUBED FOAM USA: HPRCFO (foam only)	HPRC TSA-1 PADLOCK - TSA	HPRC PADDED STRAP	HPRC SFD4050 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRC DK (divider kit)	HPRC PANEL FRAME SUPPORT KIT	DRYKEEPER ZAC-DRYKPR

HPRC 4100

SHOULDER
CASE



TECHNICAL FEATURES

Dimension:

internal dimension 401x231x231(mm) - 15.79x9.09x9.09(in)
external dimension 424x284x276,5(mm) - 16.69x11.18x10.89(in)

lid: 46(mm) - 1.81(in) bottom: 185(mm) - 7.28(in)

Weight:

empty: 2,64kg - 5.82lbs
with cubed foam: 3,27kg - 7.20lbs

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F


Colors:

Black

lt22



TECHNICAL DRAWING



* cubed foam	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	lt volume in litres	

ACCESSORIES

HPRCUB4100 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCPADDEDSTRAP	HPRCSFD4100 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRC DK (divider kit)	HPRCPANELFRAME SUPPORT KIT	DRYKEEPER ZAC-DRYKPR

HPRC 4200

SHOULDER
C A S E



TECHNICAL FEATURES

Dimension:
internal dimension 460x240x400(mm) - 18.11x9.45x15.75(in)
external dimension 500,4x293x443,5(mm) - 19.7x11.54x17.46(in)

It44


lid: 66(mm) - 2.60(in) bottom: 334(mm) - 13.14(in)

Weight:
empty: 3,91kg - 8.62lbs
with cubed foam: 5,10kg - 11.24lbs

Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F

Colors:
Black

TECHNICAL DRAWING



			APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	It44 volume in litres 	

* cubed foam

ACCESSORIES

HPRC CUBED FOAM USA: HPRCFO (foam only)	HPRC LOCK TSA-1 PADLOCK - TSA	HPRC PADDED STRAP	HPRC PANEL FRAME SUPPORT KIT	DRYKEEPER ZAC-DRYKPR		



TECHNICAL FEATURES

Dimension:

internal dimension 580x320x309(mm) - 22.83x12.60x12.16(in)
external dimension 690x380x355,40(mm) - 27.16x14.96x13.99(in)

lid: 80(mm) - 3.15(in) bottom: 229(mm) - 9.01(in)

Weight:

empty: 6,50kg - 14.33lbs
with cubed foam: 7,96kg - 17.54lbs

Temperature rating:


Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black



TECHNICAL DRAWING



			   	
			APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	 volume in litres  wheeled
* cubed foam	* interior bag	* soft padded open deck + dividers		

ACCESSORIES

HPRCUB4300 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG4300 INTERIOR BAG USA:HPRCIC (internal case)	HPRCSFD4300 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	DRYKEEPER ZAC-DRYKPR

HPRC 4300W



TECHNICAL FEATURES

Dimension:
internal dimension 580x320x299(mm) - 22.83x12.60x11.77(in)
external dimension 690x380x358,20(mm) - 27.16x14.96x14.10(in)
lid: 80(mm) - 3.15(in) bottom: 220(mm) - 8.66(in)

Weight:
empty: 7,30kg - 16.09lbs
with cubed foam: 8,76kg - 19.31lbs


Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black

lt62

W

TECHNICAL DRAWING



* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	lt volume in litres	W wheeled

ACCESSORIES

HPRCUB4300W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG4300W INTERIOR BAG USA:HPRCIC (internal case)	HPRCsFD4300W SOFT PADDED OPEN DECK + DIVIDERS USA: HPRC DK (divider kit)	DRYKEEPER ZAC-DRYKPR

HPRC 4400



TECHNICAL FEATURES

Dimension:

internal dimension 420x420x389(mm) - 16.54x16.54x15.31(in)
external dimension 482x481x437(mm) - 18.98x18.94x17.20(in)

lt 74

lid: 65(mm) - 2.56(in) bottom: 324(mm) - 12.75(in)

Weight:

empty: 6,70kg - 14.77lbs
with cubed foam: 8,90kg - 19.62lbs



Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4400
CUBED FOAM
USA:HPRCFO (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCKITW4400
wheel kit for 4400



DRYKEEPER
ZAC-DRYKPR



HPRC 4600W



TECHNICAL FEATURES

Dimension:

internal dimension 611x611x375(mm) - 24.05x24.05x14.76(in)
external dimension 670x677x418,5(mm) - 26.38x26.65x16.4(in)

lid: 85.5(mm) - 3.36(in) bottom: 289(mm) - 11.37(in)

Weight:

empty: 10,28kg - 22.66lbs
with cubed foam: 13,14kg - 28.97lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black



TECHNICAL DRAWING



* cubed foam



APPROVALS

ATA 300
IP67
STANAG 4280
DS 81-41

TEST

DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB4600W

CUBED FOAM
USA: HPRCFO (foam only)



HPRCLO708TSA-1

PADLOCK - TSA



DRYKEEPER

ZAC-DRYKPR





HPRC
4800W



TECHNICAL FEATURES

Dimension:
internal dimension 720x320x600(mm) - 28.34x12.60x23.62(in)
external dimension 776x380x649(mm) - 30.55x14.96x25.55(in)

lid: 60(mm) - 2.36(in) bottom: 540(mm) - 21.25(in)


Weight:
empty: 10,00kg - 22.21lbs
with cubed foam: 14,10kg - 31.08lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB4800W
CUBED FOAM
USA:HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



DRYKEEPER
ZAC-DRYKPR





HPRC 5400W



TECHNICAL FEATURES

Dimension:

internal dimension 1140x350x160(mm) - 44.88x13.78x6.30(in)
external dimension 1203,7x418x181(mm) - 47.39x16.46x7.13(in)

lt64

lid: 45(mm) - 1.77(in) bottom: 115(mm) - 4.52(in)

W

Weight:

empty: 8,0kg - 17.64lbs
with cubed foam: 8,80kg - 19.40lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lt volume in litres
wheeled

* cubed foam

* interior bag

ACCESSORIES

HPRCUB5400W CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG5400W INTERIOR BAG USA:HPRCIC (internal case)	DRYKEEPER ZAC-DRYKPR

Colors:
Black

Technical drawing of the 1000 Series battery showing top and front views with dimensions:

- Top view dimensions: 711 (length) and 335 (width).
- Front view dimension: 301.3 (height).



* tri version



DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lt1 volume in litres



DRYKEEPER
ZAC-DRYKPR



HPRC 6300W



TECHNICAL FEATURES

Dimension:

internal dimension 920,8x279x242,8(mm) - 36.25x10.98x9.56(in)
external dimension 968x335x299,8(mm) - 38.11x13.19x11.8(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)

Weight:

empty: 6,14kg - 13.54lbs
with cubed foam: 6,95kg - 15.32lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

lt54

W

TECHNICAL DRAWING



* cubed foam	* tri version		APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	lt volume in litres	W wheeled

ACCESSORIES

HPRCUB6300W CUBED FOAM USA:HPRCFO (foam only)	HPRCTRIKIT-03 for tripods	HPRCSTRAP	HPRCLO708TSA-1 PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR


HPRC 6400W



TECHNICAL FEATURES

Dimension: internal dimension 1081x279x242,8(mm) - 42.56x10.98x9.56(in) external dimension 1128x335x299,8(mm) - 44.41x13.19x11.8(in) lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)	lt64 W
Weight: empty: 6,44kg - 14.2lbs with cubed foam: 7,84kg - 17.28lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black	

TECHNICAL DRAWING



* cubed foam	* tri version		APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION
			lt volume in litres W wheeled

ACCESSORIES

HPRCUB6400W CUBED FOAM USA:HPRCFO (foam only)	HPRCTRIKIT-03 for tripods	HPRCSTRAP	HPRCL0708TSA-1 PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR



TECHNICAL FEATURES

Dimension:

internal dimension 1280,7x279x242,8(mm) - 50.42x10.98x9.56(in)
external dimension 1328x335x299,8(mm) - 52.28x13.19x11.8(in)

lt76

W

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)

Weight:

empty: 7,2kg - 15.88lbs
with cubed foam: 9,03kg - 19.90lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



					
* cubed foam		* tri version		APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	
				TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	
				lt volume in litres wheeled	

ACCESSORIES

HPRCUB6500W CUBED FOAM USA: HPRCFO (foam only)	HPRCTRIKIT-03 for tripods	HPRCSTRAP	HPRCLO708TSA-1 PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR
				

HPRC 0500



TECHNICAL FEATURES


Dimension:
closed 394x280x27,5(mm) - 15.51x11.02x1.08(in)
open 464x350x27,5(mm) - 18.26x13.77x1.08(in)

Weight:
empty: 0,95kg - 2.09lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black

TECHNICAL DRAWING



* tripod, laptop and schelter not included



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION





READY TO USE

EXHAUSTED
(TO BE REGENERATED)

PROTECT YOUR GEAR

Dry Keeper is a special container designed to protect your items from mildew, deterioration and damages caused by high humidity. The orange spherical Silica Gel is composed of a naturally occurring mineral silicon dioxide that is purified and processed into a beaded form. Silica Gel has a high absorption capacity and will remove moisture at temperatures as high as 150° F (65°C). Fits all cases.



HOW TO USE

When the beads are dry, they appear orange in color, when saturated with moisture to about 15-20% by weight, the beads will change to a light blue color. Silica Gel's life is variable and it depends on the amount of moisture absorption (generally 2-4 months). To verify if it's still working, check the color: the orange Silica Gel turns to blue to indicate its complete exhaustion. Silica Gel can be regenerated by heating in the oven for 1-2 hours at 100°C (212°F). Do not leave outside, directly exposed to the sun, in an open environment.



TECHNICAL INFORMATION

Dessicant Material:	Disidry's Orange Indicating Silica Gel
Packaging Material:	Aluminium (Container) / Paper / Stickers
Aluminium Foil Thickness:	0,5 mm
External Diameter:	81 mm
Dry Keeper Thickness:	17 mm
Total Net Weight:	30 g
Internal Container Capacity:	50 gr (Silica Gel)
Holes:	196 (98 on each side)
Life:	Depending on use. Generally 2-4 months (once stickers removed).
Storage:	Do not leave outside, directly exposed to the sun, in open environment.

HOW DO YOU LIKE GREY?



HPRC GRAVEL GREY

NOW AVAILABLE IN FOUR DIFFERENT SIZES.

HPRC2550W | HPRC2600W | HPRC2700W | HPRC2745W



technical chart

HPRC1100



internal dimension
57x58x25,5(mm)
2.24x2.28x1.00(in)



external dimension
69x80x32(mm)
2.72x3.15x1.26(in)

weight empty
empty: 0,04kg - 0.09lbs

Colors
Black - Ferrari red

HPRC1300



internal dimension
116,1x67,60x25,6(mm)
4.57x2.66x1.00(in)



external dimension
127,50x90x32(mm)
5.02x3.54x1.26(in)

weight empty
empty: 0,09kg - 0.19lbs

Colors
Black - Ferrari red

HPRC1400



internal dimension
180x110x40(mm)
7.08x4.33x1.57(in)



external dimension
200,30x142,40x48(mm)
7.89x5.61x1.89(in)

weight empty
empty: 0.26kg - 0,57lbs

Colors
Black

HPRC2100



internal dimension
214,50x150,5x94,4(mm)
8.44x5.93x3.72(in)



external dimension
235,50x201,20x110,40(mm)
9.27x7.92x4.35(in)

weight empty
empty: 0,74kg - 1.63lbs

Colors
Black - Orange - Ferrari red -
Electric blue

HPRC2200



internal dimension
236x182x108(mm)
9.29x7.17x4.25(in)



external dimension
258x244,3x123,3(mm)
10.16x9.62x4.85(in)

weight empty
empty: 0,87kg - 1.92lbs

Colors
Black

HPRC2250



internal dimension
236x182x155(mm)
9.29x7.17x6.10(in)



external dimension
258x230x170(mm)
10.16x9.06x6.69(in)

weight empty
1,00kg - 2.20lbs

Colors
Black

HPRC2300



internal dimension
305,7x232,4x137,5(mm)
12.04x9.15x5.41(in)



external dimension
334,6x303x155,2(mm)
13.17x11.93x6.11(in)

weight empty
1,75kg - 3.86lbs

Colors
Black - Orange - Ferrari red -
Electric blue

HPRC2350



internal dimension
340x235x99(mm)
13.39x9.25x3.90(in)



external dimension
365x293x115,50(mm)
14.37x11.54x4.55(in)

weight empty
1.49kg - 3.29lbs

Colors
Black



HPRC2400



internal dimension
377x263,9x150,8(mm)
14.84x10.39x5.94(in)



external dimension
402x330,5x169,2(mm)
15.83x13.01x6.66(in)

weight empty
2,23kg - 4.92lbs

Colors
Black - Orange - Ferrari red -
Electric blue



HPRC2460



internal dimension
409x306x175(mm)
16.10x12.05x6.89(in)



external dimension
435x377,8x193(mm)
17.13x14.87x7.60(in)

weight empty
2,55kg - 5.62lbs

Colors
Black

HPRC2500



internal dimension
449,8x322,9x174,9(mm)
17.71x12.71x6.89(in)



external dimension
478,1x389,4x194(mm)
18.82x15.33x7.64(in)

weight empty
3,08kg - 6.79lbs

Colors
Black - Orange - Ferrari red -
Electric blue



HPRC2530



internal dimension
513x288x132(mm)
20.20x11.34x5.20(in)



external dimension
540x350x153(mm)
21.26x13.78x6.02(in)

weight empty
3,20kg - 7.05lbs

Colors
Black

HPRC2550W

	internal dimension 513x288x200(mm) 20.19x11.34x7.87(in)
	external dimension 549x346x236(mm) 21.61x13.62x9.29(in)
	weight empty 4,82kg - 10.63lbs
	Colors Black - Orange - Ferrari red - Electric blue Gravel Grey

HPRC2580

	internal dimension 390x310x89(mm) 15.35x12.20x3.50(in)
	external dimension 411x364,8x110(mm) 16.18x14.36x4.33(in)
	weight empty 2,40kg - 5.29lbs
	Colors Black

HPRC2600

	internal dimension 482,4x358,3x198,1(mm) 18.99x14.1x7.8(in)
	external dimension 543,4x426,8x218,1(mm) 21.39x16.8x8.59(in)
	weight empty 4,25kg - 9.37lbs
	Colors Black - Orange - Ferrari red - Electric blue

HPRC2600W

	internal dimension 482,4x358,3x217,6(mm) 18.99x14.10x8.57(in)
	external dimension 546,9x426,8x250,7(mm) 21.53x16.8x9.87(in)
	weight empty 4,25kg - 9.37lbs
	Colors Black - Orange - Electric blue Gravel Grey

HPRC2700

	internal dimension 555x459x205(mm) 21.85x18.07x8.07(in)
	external dimension 617x525x227(mm) 24.29x20.67x8.94(in)
	weight empty 5,55kg - 12.24lbs
	Colors Black - Orange - Ferrari red

HPRC2700W

	internal dimension 554,7x458,7x246(mm) 21.84x18.06x9.69(in)
	external dimension 617,5x527,3x279,6(mm) 24.31x20.76x11.0(in)
	weight empty 7,75kg - 17.09lbs
	Colors Black - Orange - Ferrari red - Gravel Grey

HPRC2710

	internal dimension 555x459x256(mm) 21.85x18.07x10.08(in)
	external dimension 617x525x280(mm) 24.29x20.67x11.02(in)
	weight empty 6.56kg - 14.46lbs
	Colors Black

HPRC2730W

	internal dimension 503x459x316(mm) 19.80x18.07x12.44(in)
	external dimension 616,9x531x349,6(mm) 24.29x20.91x13.76(in)
	weight empty 8,41kg - 18.54lbs
	Colors Black

HPRC2745W

	internal dimension 771x401x247(mm) 30.35x15.78x9.72 (in)
	external dimension 822x452x294(mm) 32.36x17.79x11.57 (in)
	weight empty 7.38kg - 16.27lbs
	Colors Black, Gravel Grey

HPRC2760W

	internal dimension 690x450x301(mm) 27.16x17.72x11.85(in)
	external dimension 750x511x329(mm) 29.53x20.12x12.95(in)
	weight empty 8,93kg - 19.69lbs
	Colors Black

HPRC2780W

	internal dimension 748,6x524,6x363,3(mm) 29.47x20.65x14.3(in)
	external dimension 814x586,5x387,7(mm) 32.05x23.09x15.27(in)
	weight empty 12,0kg - 26.46lbs
	Colors Black

HPRC2800W

	internal dimension 748,6x524,6x454,6(mm) 29.47x20.65x17.90(in)
	external dimension 813,3x586,5x480,5(mm) 32.02x23.9x18.92(in)
	weight empty 13,25kg - 29.22lbs
	Colors Black

technical chart

HPRC3500		HPRC3600		HPRC4050	
 	internal dimension 433,5x319,3x168,8(mm) 17.07x12.57x6.65(in)	 	internal dimension 479x354x194(mm) 18.86x13.94x7.64(in)	  	internal dimension 261x171x220(mm) 10.28x6.73x8.66(in)
	external dimension 497,9x370,3x184,9(mm) 19.60x14.58x7.28(in)		external dimension 542x402x220(mm) 21.34x15.83x8.66(in)		external dimension 284x223x260(mm) 11.18x8.78x10.24(in)
	weight empty 3,00kg - 6.61lbs Colors Black		weight empty 3,22kg - 7.10lbs Colors Black		weight empty 1,82kg - 4.01lbs Colors Black
HPRC4100		HPRC4200		HPRC4300	
  	internal dimension 401x231x231(mm) 15.79x9.09x9.09(in)	 	internal dimension 460x240x400(mm) 18.11x9.45x15.75(in)	 	internal dimension 580x320x309(mm) 22.83x12.60x12.16(in)
	external dimension 424x284x276,5(mm) 16.69x11.18x10.89(in)		external dimension 500,4x293x443,5(mm) 19.7x11.54x17.46(in)		external dimension 690x380x355,4(mm) 27.16x14.96x13.99(in)
	weight empty 2,64kg - 5.82lbs Colors Black		weight empty 3,91kg - 8.62lbs Colors Black		weight empty 6,50kg - 14.33lbs Colors Black
HPRC4300W		HPRC4400		HPRC4600W	
  	internal dimension 580x320x299(mm) 22.83x12.60x11.77(in)	 	internal dimension 420x420x389(mm) 16.54x16.54x15.31(in)	 	internal dimension 611x611x375(mm) 24.05x24.05x14.76(in)
	external dimension 690x380x358,2(mm) 27.16x14.96x14.1(in)		external dimension 482x481x437(mm) 18.98x18.94x17.2(in)		external dimension 670x677x418.5(mm) 26.38x26.65x16.4(in)
	weight empty 7,30kg - 16.09lbs Colors Black		weight empty 6,70kg - 14.77lbs Colors Black		weight empty 10,28kg - 22.66lbs Colors Black
HPRC4700W		HPRC4800W		HPRC5400W	
  	internal dimension 508x301,4x497(mm) 20.00x11.87x19.57(in)	  	internal dimension 720x320x600(mm) 28.34x12.60x23.62(in)	  	internal dimension 1140x350x160(mm) 44.88x13.78x6.30(in)
	external dimension 572x429x563,5(mm) 22.52x16.89x22.19(in)		external dimension 776x380x649(mm) 30.55x14.96x25.55(in)		external dimension 1203,7x418x181(mm) 47.39x16.46x7.13(in)
	weight empty 11,73kg - 25.86lbs Colors Black		weight empty 10,00kg - 22.21lbs Colors Black		weight empty 8kg - 17.64lbs Colors Black

HPRC6200

	internal dimension 651x279x242,80(mm) 25.63x10.98x9.56(in)
	external dimension 711x335x301,3(mm) 28x13.19x11.86(in)
	weight empty 3,96kg - 8.73lbs
	Colors Black

HPRC6300W

	internal dimension 920,8x279x242,8(mm) 36.25x10.98x9.56(in)
	external dimension 968x335x299,8(mm) 38.11x13.19x11.8(in)
	weight empty 6,14kg - 13.54lbs
	Colors Black

HPRC6400W

	internal dimension 1081x279x242,8(mm) 42.56x10.98x9.56(in)
	external dimension 1128x335x299,8(mm) 44.41x13.19x11.8(in)
	weight empty 6,44kg - 14.2lbs
	Colors Black

HPRC6500W

	internal dimension 1280,7x279x242,8(mm) 50.42x10.98x9.56(in)
	external dimension 1328x335x299,8(mm) 52.28x13.19x11.8(in)
	weight empty 7,2kg - 15.88lbs
	Colors Black

HPRC0500

	dimension closed 394x280x27,5(mm) 15.51x11.02x1.08(in)
	dimension open 464x350x27,5(mm) 18.26x13.77x1.08(in)
	weight empty empty: 0,95kg - 2.09lbs
	Colors Black

Discover all our products
at: www.hprc.it

Plaber S.r.l reserves the right to modify its products at any time and without notice, in order to improve their quality and functionality. Therefore, all the information given in this datasheet is to be considered indicative and subject to possible modifications.



Special soft cases

HPRC also produces different lines of soft cases and backpacks specifically designed to carry and protect the most popular drones of the market.



H P R C C A S E S



Find us on:



PlaberItalia
Channel



Plaber s.r.l.
Via Div Tridentina, 10
I-36061 Bassano del Grappa
Vicenza - Italy

Tel +39 0424 809 150

USA office and warehouse:

Plaber America Inc
110 Chestnut Ridge Rd. #314
Montvale, NJ 07645

Phone +1(201) 989-3353

www.hprc.it | www.hprcusa.com

info@hprc.it