



2023 CASES WORKBOOK



Our Brand

We're about happiness by cases. It means we're not just in the business of creating protective cases, even though that is what we do. Our everyday commitment is designed to make people happy.

From an ever-growing collection of innovative products to our passionate team who makes it happen, it's all about happiness.

Our Products

We're always looking for what's next. We're constantly innovating our original designed form and function, proving a fresh approach to the art of cases. By incorporating different styles, top quality materials and eye-catching patterns into our design, we make more than a case. We make a statement.

Our History

HPRC cases were born in 2006 with one simple premise: we can design a better case. In more than 15 years HPRC has grown into a successful international business, teaming up with important companies and partners. Our products can be found in more than 80 countries and have garnered top awards and praise. As we grow, our entrepreneurial spirit continues to drive the HPRC culture. After all, it's what helped us build one of the world's best hard cases brand.

Commitments

Our commitments to you:

1. **UNDERSTAND** the problems of your market and your specific requirements. Through our expert knowledge of technological and economic trends we can offer an uncompromisingly individual approach to each customer.

2. **FIND** a transport solution tailored to your requirements. Our extensive cases range, our custom solutions that go far beyond our product offer, our team that assists you in selecting the case that is best suited to your own needs, are our core strengths.

3. **LISTEN** to and take account of your comments, through our network of experts and our frequent satisfaction surveys.

4. **BE** incessantly innovative and competitive in the professional cases market.

Inside the R-Evolution

Revolution begins inside first: we start every day thinking different, exploring new ideas, projects and solutions. We work side by side in Italy, but we turn to people all around the world to inspire and get inspired.

We are involved in a constant revolution that goes hand in hand with the spirit of renewal of the brand. Our day-to-day commitment is to meet customer needs and personalize their journey. To do better, to offer the best.



Ultralight. Watertight. Smart Cases.

HPRC cases can be used for all sorts of applications and different areas: from medical and hi-tech (measurement, laser, etc) to industrial and electronics, military and Government police law enforcement, nautical, outdoor, imaging, broadcasting and many more. HPRC provides total protection to the carried equipment against dust, water, impacts and corrosion caused by chemical agents.



Fire | Emergency | Medical



Imaging & Broadcasting



Industrial | Electronic | High Tech



Military | Government



Outdoor | Diving | Marine

Standard cases.

HPRC cases are available with a standard setup if you don't need any special customization regarding the shell or the interior foam. Here are the 5 possible standard configurations.

* EMPTY



* CUBED FOAM



* SECOND SKIN



* INTERIOR BAG



* SOFT PADDED OPEN DECK + DIVIDERS



*PANEL FRAME KIT AVAILABLE

377

Oem cases.

We are cases producers,
if you do not find the right size or best liked design
we will make a customized case for you

1. Product inquiry >>>> Mold + price offer
2. Contract signing >>>> Design drawing
3. Client confirmation >>>> Mold making
4. Sample checking >>>> Production arrangement



Custom fit cases.

Customization concerns: color, printing, adhesive, foam inlay (die cut, water cut, milled, moulded), thermoformed inlay, lid panels and organizers, extra working on the cases shell (holes, external applications) keeping the watertightness.



SHELL CUSTOMIZATION

HPRC customization service provides shell customization, including holes for external connections.

HPRC panel frame accessory (HPRCPF) allows customers to install a control panel into the case, ensuring a perfect fit.



LAYOUT CUSTOMIZATION

We give customers different equipment layouts options in order to optimize space and handiness.



COVER CUSTOMIZATION

Customization also includes the possibility to design solutions in order to use the cover as a glove compartment. We can provide organizers, special tools addition, shell modifications and custom colors.



HIGH VISIBILITY INLAYS

A special high visibility inlay can be designed in order to avoid forgetting equipment on the field after use.



WATER CUTTING TECHNOLOGY FOAMS

Expanded polietilene foams are available in various densities (Kg/m³), resistance to compression (kPal) and resistance to different temperatures ranges. These foams, produced with water cutting technology, guarantee protection and allow a wide range of customizations.



MULTY LAYER

A multi layer case is a handy solution, especially when equipment is made of many small and different parts that must be stored and protected into one case only.



INJECTION INLAYS

The custom inlay made in expanded polypropylene of different densities guarantees a perfect protection and a professional look to the case. Our service includes the initial study of the mould and goes through the prototype phase and final production.



MILLED FOAMS

The milling technology allows to get one piece inlays with many different depths.

HPRC: innovation, technology and design.

TTX01® COMPOUND



Most hard watertight cases are made in standard pp: our R&D department has developed an enhanced compound, still based on pp, now balanced with additional high performance resins. TTX01® allows to produce cases which are lighter in weight and stronger in robustness. The special mix we add makes the HPRC shell thinner and more elastic, increasing therefore the shockproof degree and the lightweight. On top of that, maintaining pp characteristics, HPRC cases are acidproof, scratchproof, able to resist to extreme weather conditions and temperature changes (all products are tested from - 40° c up to 80°c). The hardware of the cases is made of steel.



AIREX PURGE VALVE



AirEx is the new automatic purge valve. Its auto press release adjusts to changing environments automatically, and helps avoiding the valve from detaching from the case itself. The valve works through a GVS medical filter which allows the air exchange while protecting from water, dust and sand.



LIZARD PATT



A revolutionary ergonomic handle, made of PP and SEBS materials, which provides:

- high quality and secure grip, even at low temperatures and in wet conditions
- no-slip for better control and safety, also in presence of oils, grease and liquids
- greater level of comfort
- optimal handling
- scratch protection
- strengthened resistance
- long durability

Also the extensible trolley handles, made of ALU + SEBS, feature this ergonomic handle.



ALL TERRAIN WHEELS



HPRC wheels are extremely versatile. They can cover any ground in any weather conditions:

- cutting-edge innovation for a great grip
- high performance in wet and dry conditions
- sure-footedness in a wide range of fields (asphalt, sand, stones, snow, porphyry)
- rolling smoothly for hundreds of miles
- more stability and enhanced safety
- easy wheels replacement
- increased wheels durability
- made of PA66 + TPU



GASKET O-RING SEAL



The internal O-ring, which runs along the entire perimeter of the lid, is made of expanded EPDM and guarantees the case's watertight qualities.

CLOSING LATCHES



Made of PA + GF, the closing latches are extremely sturdy. They are equipped with a two-step opening / closing system to ensure fluidity of movement and to prevent the hooks from opening in the event of a fall.

HIGHLIGHTS



New mechanics and engineering of the short sides which provide more resistance to the shell and improved flexibility.

Refresh of the external surface with an embossing effect which makes it pleasant to touch.

New name plate: larger dimensions, improved shock-resistance and renewed design.

CERTIFIED STANDARDS

All HPRC cases meet high qualitative certified standards and have undergone stringent testing based on national and international regulations / standards such as drop, impact, watertightness, handle, UV color and material protection.

CERTIFICATIONS	TEST
IP67	✓ Drop
STANAG 4280	✓ Impact
DS 81-41	✓ Watertightness
ATA300 compliant	✓ Handle
	✓ UV color and material protection

HPRC LIFE TIME WARRANTY



HPRC products have been built to rigorous standards of quality and are guaranteed against all defects in materials and workmanship for the whole life of the case.

WE CASE IN GREEN



All shells and components of HPRC cases are 100% recyclable: the production and transformation discards are indeed reintegrated in the production cycle. The high resistance of the patented material TTX01® allows to use the HPRC cases longer than any other case, reducing therefore the emissions of CO2 due to the production and distribution. The constant quest for geographically close suppliers complying with ISO 14000 or EMAS certification is a contribute to reduce the environmental impact. Moreover HPRC adopts renewable sources plants for energy production to cover the energetic needs.

DRY KEEPER:

utmost protection against humidity.

PROTECT YOUR GEAR

Dry Keeper is a special container designed to protect your items from mildew, deterioration and damages caused by high humidity. The orange spherical Silica Gel is composed of a naturally occurring mineral silicon dioxide that is purified and processed into a beaded form. Silica Gel has a high absorption capacity and will remove moisture at temperatures as high as 150° F (65°C). Fits all cases.



HOW TO USE

When the beads are dry, they appear orange in color, when saturated with moisture to about 15-20% by weight, the beads will change to a light blue color. Silica Gel's life is variable and it depends on the amount of moisture absorption (generally 2-4 months). To verify if it's still working, check the color: the orange Silica Gel turns to blue to indicate its complete exhaustion. Silica Gel can be regenerated by heating in the oven for 1-2 hours at 100°C (212°F).

Do not leave outside, directly exposed to the sun, in an open environment.



TECHNICAL INFORMATION

Code:	ZAC-DRYKPR
Dessicant Material:	Disidry's Orange Indicating Silica Gel
Packaging Material:	Aluminium (Container) / Paper / Stickers
Aluminium Foil Thickness:	0,5 mm
External Diameter:	81 mm
Dry Keeper Thickness:	17 mm
Total Net Weight:	30 g
Internal Container Capacity:	50 gr (Silica Gel)
Holes:	196 (98 on each side)
Life:	Depending on use. Generally 2-4 months (once stickers removed).
Storage:	Do not leave outside, directly exposed to the sun, in open environment.

HPRC: tailor-made solutions.

CUSTOM LASER DESIGN



Custom Laser Design

HPRC CUSTOM LASER DESIGN is the new HPRC service born to offer endless possibilities to customize and add value to your case. No minimum order quantity. Technical support, graphic development and fast turnaround. And on top of that,

- precise finishing even in small and hard to reach areas that other technologies cannot achieve
- permanent and durable result: abrasion, water, solvent, oil, temperature proof and UV resistant
- high resolution, high quality and precision
- long-term readability
- environment friendly. No use of paints, ink, acid or chemicals involved
- excellent energy efficiency. Short production time without downtime
- in-house management of all phases.

BUSINESS SOLUTIONS



Our staff is passionate about developing high-quality tailor-made solutions to meet all your requirements and offer an uncompromisingly individual approach to each customer. Completely new projects or customization of existing products are our flagship. Ad hoc colors, printing, adhesives, foam inlays, thermoformed inlays, lid panels and organizers, extra working on the cases shell (holes, external applications) are just some of the customizations we can do.

THE FOAM COMPANY

THE FOAM COMPANY
BASSANO

Besides the possibility of customizing the shell, HPRC also give customers the chance to choose the best solution to optimize space and hardiness inside the case.

Totally and strictly compliant with customer requirements, our technical department propose different solutions for the customized foam inserts, from foam inlays (die cut, water cut, milled, moulded) to thermoformed inlays.

Do you want to know more?
Please contact our technical team: tech@hprc.lt



HPRC1100



TECHNICAL FEATURES*

Internal dimension:

57x58x25,6(mm) - 2.24x2.28x1.00(in)

External dimension:

69x80x32(mm) - 2.72x3.15x1.26(in)

Lid: 12,8(mm) - 0.50(in)

Bottom: 12,7(mm) - 0.50(in)

Temperature rating:

Minimum -40°C -40°F

Maximum +80°C +176°F

Colors:

Black



Weight:

empty: 0,04kg - 0.09lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



Both models with our trademark
“Full – Empty” switch: just flip the arrow
towards the desired E-F position and get
straight access to your cards.

FEATURES

- Removable multiformat memory card holder.

Can contain up to 6 cards:

Largest slot: CF or CFast (max 2 cards in total)

Intermediate slot: XQD or CFexpress Type B (max 2 cards in total)

Smallest slot: SD or CFexpress Type A (max 2 cards in total)

- Full/empty indicator



*For more detailed information see pages from 12 to 15.



TECHNICAL FEATURES*

Internal dimension:
116,1x67,6x25,6(mm) - 4.57x2.66x1(in)
External dimension:
127,5x90x32(mm) - 5.02x3.54x1.26(in)
Lid: 12,8(mm) - 0.50(in)
Bottom: 12,7(mm) - 0.50(in)



Temperature rating:
Minimum 40°C -40°F Maximum +80°C +176°F
Colors:
Black

Weight:
empty: 0,09kg - 0.19lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



Both models with our trademark
“Full – Empty” switch: just flip the arrow
towards the desired E-F position and get
straight access to your cards.

FEATURES

- Removable multiformat memory card holder.
Can contain up to 12 cards:
Largest slot: CF or CFast (max 4 cards in total)
Intermediate slot: XQD or CFexpress Type B (max 4 cards in total)
Smallest slot: SD or CFexpress Type A (max 4 cards in total)
- Full/empty indicator



HPRC1400



TECHNICAL FEATURES*

Internal dimension:

180x110x40(mm) - 7.08x4.33x1.57(in)

External dimension:

200,3x142,4x48(mm) - 7.89x5.61x1.89(in)

Lid: 20(mm) - 0.78(in)**Bottom:** 20(mm) - 0.78(in)**Temperature rating:**

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 0,26kg - 0.57lbs

available empty or with cubed foam

It0,3

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



empty



TECHNICAL FEATURES*

Internal dimension:

214,5x150,5x94,4(mm) - 8.44x5.93x3.72(in)

External dimension:

235,5x201,2x110,4(mm) - 9.27x7.92x4.35(in)

Lid: 18(mm) - 0.71(in)

Bottom: 76(mm) - 2.99(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

Weight:



empty: 0,74kg - 1.63lbs

with cubed foam: 0,84kg - 1.85lbs

It3

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag

ACCESSORIES

HPRCCUB2100
CUBED FOAM



HPRCBAG2100
INTERIOR BAG



HPRCPF-001
PANEL FRAME
(panel not included)



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC2200



TECHNICAL FEATURES*

Internal dimension:

236x182x108(mm) - 9.29x7.17x4.25(in)

External dimension:

258x244.3x123.3(mm) - 10.16x9.62x4.85(in)

Lid: 29(mm) - 1.14(in)

Bottom: 79(mm) - 3.11(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 0,87kg - 1.92lbs

with cubed foam: 1,08kg - 2.38lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag

ACCESSORIES

HPRCCUB2200
CUBED FOAM**HPRCBAG2200**
INTERIOR BAG**HPRCPF-002**
PANEL FRAME
(panel not included)**ZAC-DRYKPR**
DRY KEEPER**HPRCL0708TSA**
PADLOCK - TSA

*For more detailed information see pages from 12 to 15.



TECHNICAL FEATURES*

Internal dimension:
236x182x155(mm) - 9.29x7.17x6.10(in)

External dimension:
258x230x170(mm) - 10.16x9.06x6.69(in)
Lid: 29(mm) - 1.14(in)
Bottom: 126(mm) - 4.96(in)

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F



Colors:
Black

Weight:
empty: 1,00kg - 2.20lbs
with cubed foam: 1,35kg - 2.97lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag

ACCESSORIES

HPRCCUB2250
CUBED FOAM



HPRCBAG2250
INTERIOR BAG



HPRCPF-002
PANEL FRAME
(panel not included)



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC2300



TECHNICAL FEATURES*

Internal dimension:

305,7x232,4x137,5(mm) - 12.04x9.15x5.41(in)

External dimension:

334,6x303x155,2(mm) - 13.17x11.93x6.11(in)

Lid: 31(mm) - 1.22(in)**Bottom:** 106(mm) - 4.17(in)**Temperature rating:**

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:



Black - Orange - Ferrari red - Electric blue

Weight:empty: 1,75kg - 3.86lbs
with cubed foam: 1,90kg - 4.19lbs

It10

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag

ACCESSORIES

HPRCCUB2300
CUBED FOAM**HPRCBAG2300**
INTERIOR BAG**HPRCPF-003**
PANEL FRAME
(panel not included)**ZAC-DRYKPR**
DRY KEEPER**HPRCL0708TSA**
PADLOCK - TSA

*For more detailed information see pages from 12 to 15.



TECHNICAL FEATURES*



Internal dimension:
340x235x99(mm) - 13.39x9.25x3.90(in)
External dimension:
365x293x115,5(mm) - 14.37x11.54x4.55(in)
Lid: 29(mm) - 1.14(in)
Bottom: 70(mm) - 2.75(in)

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F
Colors:
Black

Weight:
empty: 1,49kg - 3.29lbs
with cubed foam: 1,66kg - 3.65lbs



TECHNICAL DRAWINGS



EXTERNAL DIMENSION

INTERNAL LAYOUTS



cubed foam

ACCESSORIES

HPRCCUB2350
CUBED FOAM



HPRCTRAC-1
PADDED SHOULDER STRAP



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC2400



TECHNICAL FEATURES*

Internal dimension:

377x263,9x150,8(mm) - 14.84x10.39x5.94(in)

External dimension:

402x330,5x169,2(mm) - 15.83x13.01x6.66(in)

Lid: 45(mm) - 1.77(in)

Bottom: 107(mm) - 4.21(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:



Black - Orange - Ferrari red - Electric blue

Weight:

empty: 2,17kg - 4.78lbs
with cubed foam: 2,58kg - 5.69lbs



TECHNICAL DRAWINGS



EXTERNAL DIMENSION

INTERNAL LAYOUTS



cubed foam



interior bag

ACCESSORIES

HPRCCUB2400
CUBED FOAM



HPRCBAG2400
INTERIOR BAG



HPRCORG2400
LID ORGANIZER



HPRCPF-004
PANEL FRAME
(panel not included)



ZAC-DRYKPR
DRY KEEPER



HPRCLO708TSA
PADLOCK - TSA





TECHNICAL FEATURES*

Internal dimension:

409x306x175(mm) - 16.10x12.05x6.89(in)

External dimension:

435x377,8x193(mm) - 17.13x14.87x7.60(in)

Lid: 70(mm) - 2.76(in)

Bottom: 105(mm) - 4.14(in)

Temperature rating:

Minimum 40°C 40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 2,55kg - 5.62lbs

with cubed foam: 3,14kg - 6.92lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB2460
CUBED FOAM



HPRCBAG2460
INTERIOR BAG



HPRCORG2460
LID ORGANIZER



HPRCPF-005
PANEL FRAME
(panel not included)



ZAC-DRYKPR
DRY KEEPER



HPRCLO708TSA
PADLOCK - TSA



HPRC2500



TECHNICAL FEATURES*

Internal dimension:

449,8x322,9x174,9(mm) - 17.71x12.71x6.89(in)

External dimension:

478,1x389,4x194(mm) - 18.82x15.33x7.64(in)

Lid: 46(mm) - 1.81(in)**Bottom:** 129(mm) - 5.08(in)**Temperature rating:**

Minimum 40°C -40°F Maximum +80°C +176°F



Colors:

Black - Orange - Ferrari red - Electric blue

Weight:empty: 3,08kg - 6.79lbs
with cubed foam: 3,71kg - 8.18lbs

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag

soft padded
open deck
+ dividers

ACCESSORIES

HPRCCUB2500
CUBED FOAM**HPRCBAG2500**
INTERIOR BAG**HPRCSFD2500**
SOFT PADDED
OPEN DECK**HPRCORG2500**
LID ORGANIZER**HPRCPF-006**
PANEL FRAME
(panel not included)**ZAC-DRYKPR**
DRY KEEPER**HPRCL0708TSA**
PADLOCK - TSA

*For more detailed information see pages from 12 to 15.



TECHNICAL FEATURES*

Internal dimension:
513x288x132(mm) - 20.20x11.34x5.20(in)
External dimension:
540x350x153(mm) - 21.26x13.78x6.02(in)
Lid: 46(mm) - 1.81(in)
Bottom: 86(mm) - 3.25(in)



Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F
Colors:
Black

Weight:
empty: 3,20kg - 7.05lbs
with cubed foam: 3,26kg - 7.19lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

	cubed foam		soft padded open deck + dividers		
--	------------	--	----------------------------------	--	--

ACCESSORIES

HPRCCUB2530 CUBED FOAM 	HPRCSFD2530 SOFT PADDED OPEN DECK 	HPRCTRAC-1 PADDED SHOULDER STRAP 	HPRCORG2530 LID ORGANIZER 	ZAC-DRYKPR DRY KEEPER 	HPRCL0708TSA PADLOCK - TSA 	
--------------------------------------	---	--	---	-------------------------------------	--	--

PRADA

PRADA






TECHNICAL FEATURES*

Internal dimension:
513x288x200(mm) - 20.19x11.34x7.87(in)
External dimension:
549x346x236(mm) - 21.61x13.62x9.29(in)
Lid: 48(mm) - 1.88(in)
Bottom: 152(mm) - 5.98(in)

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F
Colors:
Black - Orange - Ferrari red
Electric blue - Gravel Grey

Weight:
empty: 4,78kg - 10.54lbs
with cubed foam: 5,51kg - 12.15lbs
 

TECHNICAL DRAWINGS



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB2550W CUBED FOAM	HPRCSSK2550W SECOND SKIN	HPRCBAG2550W INTERIOR BAG	HPRCORG-004 LID ORGANIZER	HPRCPF-006 PANEL FRAME (panel not included)	ZAC-DRYKPR DRY KEEPER	HPRCL0708TSA PADLOCK - TSA
						

*For more detailed information see pages from 12 to 15.

HPRC2580



TECHNICAL FEATURES*

Internal dimension:

390x310x89(mm) - 15.35x12.20x3.50(in)

External dimension:

411x364,8x110(mm) - 16.18x14.36x4.33(in)

Lid: 44(mm) - 1.73(in)

Bottom: 45(mm) - 1.77(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 2,43kg - 5.35lbs

with cubed foam: 2,57kg - 5.67lbs

It11

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag

ACCESSORIES

HPRCCUB2580
CUBED FOAM



HPRCORG2580
LID ORGANIZER



HPRCTRAC-1
PADDED SHOULDER STRAP



ZAC-DRYKPR
DRY KEEPER



HPRCLO708TSA
PADLOCK - TSA





TECHNICAL FEATURES*

Internal dimension:

482,4x358,3x198,1(mm) - 18.99x14.10x7.80(in)

External dimension:

543,4x426,8x218,1(mm) - 21.39x16.80x8.59(in)

Lid: 46(mm) - 1.81(in)

Bottom: 152(mm) - 5.98(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

Weight:



empty: 4,25kg - 9.37lbs

with cubed foam: 5,05kg - 11.13lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB2600
CUBED FOAM



HPRCSSK2600
SECOND SKIN



HPRCBAG2600
INTERIOR BAG



HPRCORG2600
LID ORGANIZER



HPRCPF-007
PANEL FRAME
(panel not included)



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC2600W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

482,4x358,3x217,6(mm) - 18.99x14.10x8.57(in)

External dimension:

546,9x426,8x250,7(mm) - 21.53x16.80x9.87(in)

Lid: 46(mm) - 1.81(in)

Bottom: 172(mm) - 6.77(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black - Orange - Electric blue -
Gravel Grey




Weight:

empty: 6,05kg - 13.34lbs
with cubed foam: 6,97kg - 15.37lbs

It38

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB2600W
CUBED FOAM



HPRCSSK2600W
SECOND SKIN



HPRCBAG2600W
INTERIOR BAG



HPRCORG2600W
LID ORGANIZER



HPRCPF-007
PANEL FRAME
(panel not included)



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



*For more detailed information see pages from 12 to 15.





TECHNICAL FEATURES*

Internal dimension: 555x459x205(mm) - 21.85x18.07x8.07(in)	Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	Weight: empty: 5,55kg - 12.24lbs with cubed foam: 6,71kg - 14.79lbs
External dimension: 617x525x227(mm) - 24.29x20.67x8.94(in)	Colors: Black - Orange - Ferrari red	
Lid: 45(mm) - 1.77(in)		
Bottom: 160(mm) - 6.29(in)		It52

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

cubed foam	interior bag		
------------	--------------	--	--

ACCESSORIES

HPRCCUB2700 CUBED FOAM	HPRCBAG2700 INTERIOR BAG	HPRCORG2700 LID ORGANIZER	HPRCPF-008 PANEL FRAME (panel not included)	ZAC-DRYKPR DRY KEEPER	HPRCL0708TSA PADLOCK - TSA	
cubed foam	interior bag	lid organizer	panel frame	dry keeper	padlock	

*For more detailed information see pages from 12 to 15.

HPRC2700W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

554,7x458,7x246(mm) - 21.84x18.06x9.69(in)

External dimension:

617,5x527,3x279,6(mm) - 24.31x20.76x11(in)

Lid: 45(mm) - 1.77(in)

Bottom: 201(mm) - 7.91(in)

Temperature rating:

Minimum 40°C Maximum 40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red
- Gravel Grey




Weight:

empty: 7,75kg - 17.09lbs
with cubed foam: 9,07kg - 19.99lbs

It65

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



second skin



interior bag

ACCESSORIES

HPRCCUB2700W
CUBED FOAM



HPRCSSK2700W
SECOND SKIN



HPRCBAG2700W
INTERIOR BAG



HPRCORG2700W
LID ORGANIZER



HPRCPF-008
PANEL FRAME
(panel not included)



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA





TECHNICAL FEATURES*

Internal dimension:

555x459x256(mm) - 21.85x18.07x10.08(in)

External dimension:

617x525x280(mm) - 24.29x20.67x11.02(in)

Lid: 45(mm) - 1.77(in)

Bottom: 211(mm) - 8.30(in)

Temperature rating:

Minimum 40°C	40°F	Maximum +80°C	+176°F
-----------------	------	------------------	--------

Colors:

Black

Weight:



empty: 6,56kg - 14.46lbs

with cubed foam: 7,96kg - 17.55lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB2710
CUBED FOAM



HPRCORG2710
LID ORGANIZER



HPRCPF-008
PANEL FRAME
(panel not included)



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC2730W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

503x459x316(mm) - 19.80x18.07x12.44(in)

External dimension:

616,9x531x349,6(mm) - 24.29x20.91x13.76(in)

Lid: 45(mm) - 1.77(in)

Bottom: 269(mm) - 10.59(in)

Temperature rating:

Minimum 40°C -40°F Maximum +80°C +176°F

Colors:

Black




Weight:

empty: 8,41kg - 18.54lbs

with cubed foam: 10,43kg - 22.99lbs

It72

TECHNICAL DRAWINGS



INTERNAL LAYOUTS



cubed foam



interior bag



soft padded
open deck
+ dividers

ACCESSORIES

HPRCCUB2730W
CUBED FOAM



HPRCBAG2730W
INTERIOR BAG



HPRCORG2730W
LID ORGANIZER



HPRCSFD2730W
SOFT PADDED
OPEN DECK



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC2745W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

771x401x247(mm) - 30.35x15.78x9.72(in)

External dimension:

822x452x294(mm) - 32.36x17.79x11.57(in)

Lid: 46(mm) - 1.81(in)

Bottom: 201 (mm) - 7.91(in)

Temperature rating:

Minimum 40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:


empty: 7,22kg - 15.92lbs

with cubed foam: 9,10kg - 20.06lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB2745W
CUBED FOAM



HPRCSSK2745W
SECOND SKIN



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC2760W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

690x450x301(mm) - 27.16x17.72x11.85(in)

External dimension:

750x511x329(mm) - 29.53x20.12x12.95(in)

Lid: 50(mm) - 1.97(in)

Bottom: 250(mm) - 9.84(in)

Temperature rating:

Minimum 40°C 40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 8,93kg - 19.69lbs

with cubed foam: 10,72kg - 23.63lbs

It91

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam




interior bag



soft padded
open deck
+ dividers

ACCESSORIES

HPRCCUB2760W
CUBED FOAM



HPRCBAG2760W
INTERIOR BAG



HPRCSFD2760W
SOFT PADDED
OPEN DECK



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA





When innovation becomes a case

Main features:

- 4 built in wheels: roll the case along by simply pushing it while it's on the ground
- two side handles: push or pull the case as a trolley
- stackable exterior lid design: use the case as a cart by stacking more cases on top of each other
- two lateral handles: when you need to hold the case from both sides
- comfortable soft-grip handle
- braked wheels to prevent unexpected movement



HPRC2780W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

748,6x524,6x363,3(mm) - 29.47x20.65x14.30(in)

External dimension:

814x586,5x387,7(mm) - 32.05x23.09x15.27(in)

Lid: 73(mm) - 2.87(in)

Bottom: 290 (mm) - 11.42 (in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 12kg - 26.46lbs

with cubed foam: 16,18kg - 35.67lbs

It142

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag



soft padded
open deck
+ dividers

ACCESSORIES

HPRCCUB2780W
CUBED FOAM



HPRCBAG2780W
INTERIOR BAG



HPRCORG2780W
LID ORGANIZER



HPRCSFD2780W
SOFT PADDED
OPEN DECK



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA





TECHNICAL FEATURES*

Internal dimension:

748,6x524,6x454,6(mm) - 29.47x20.65x17.90(in)

External dimension:

813,3x586,5x480,5(mm) - 32.02x23.09x18.92(in)

Lid: 73(mm) - 2.87(in)

Bottom: 382(mm) - 15.03(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 13,25kg - 29.22lbs

with cubed foam: 17,43kg - 38.43lbs

\$179

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag

ACCESSORIES

HPRCCUB2800W
CUBED FOAM



HPRCBAG2800W
INTERIOR BAG



HPRCORG2800W
LID ORGANIZER



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC3500



TECHNICAL FEATURES*

Internal dimension:

433,5x319,3x168,8(mm) - 17.07x12.57x6.65(in)

External dimension:

497,9x370,3x185(mm) - 19.60x14.58x7.28(in)

Lid: 72(mm) - 2.83(in)

Bottom: 97(mm) - 3.81(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black



Weight:

empty: 3kg - 6.61lbs

with cubed foam: 3,55kg - 7.82lbs



TECHNICAL DRAWINGS



EXTERNAL DIMENSION

INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB3500
CUBED FOAM



HPRCBAG3500
INTERIOR BAG



HPRCORG3500
LID ORGANIZER



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA





TECHNICAL FEATURES*

Internal dimension:

479x354x194(mm) - 18.86x13.94x7.64(in)

External dimension:

542x402x220(mm) - 21.34x15.83x8.66(in)

Lid: 80(mm) - 3.15(in)

Bottom: 114(mm) - 4.48(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 3,22kg - 7.10lbs

with cubed foam: 3,85kg - 8.49lbs

28.5

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB3600
CUBED FOAM



HPRCSSK3600
SECOND SKIN



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC4050

SHOULDER
CASE



TECHNICAL FEATURES*

Internal dimension:

261x171x220(mm) - 10.28x6.73x8.66(in)

External dimension:

284x223x260(mm) - 11.18x8.78x10.24(in)

Lid: 46(mm) - 1.81(in) - under handle: 24(mm) - 0.94(in)

Bottom: 196(mm) - 7.71(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 1,57kg - 3.46lbs

with cubed foam: 1,83kg - 4.03lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB4050
CUBED FOAM



HPRCSFD4050
SOFT PADDED
OPEN DECK



HPRCPANELFRAME
SUPPORT KIT



HPRCTRAC-2
EXTRA-PADDDED
SHOULDER
STRAP



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



**SHOULDER
CASE**



TECHNICAL FEATURES*

Internal dimension:
401x231x231(mm) - 15.79x9.09x9.09(in)

External dimension:
426,3x284x276,5(mm) - 16.78x11.18x10.89(in)

Lid: 46(mm) - 1.81(in) - under handle: 18,5(mm) - 0.73(in)

Bottom: 212,50(mm) - 8.37(in)

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F



Colors:
Black

Weight:
empty: 2,64kg - 5.82lbs
with cubed foam: 3,27kg - 7.20lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB4100
CUBED FOAM



HPRCSFD4100
SOFT PADDED
OPEN DECK



HPRCPANELFRAME
SUPPORT KIT



HPRCTRAC-2
EXTRA-PADDDED
SHOULDER
STRAP



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC4200

SHOULDER
CASE



TECHNICAL FEATURES*

Internal dimension:

460x240x400(mm) - 18.11x9.45x15.75(in)

External dimension:

500,4x293x445,5(mm) - 19.70x11.54x17.54(in)

Lid: 66(mm) - 2.60(in) - under handle: 38,5(mm) - 1.52(in)

Bottom: 361,50(mm) - 14.23(in)

Temperature rating:

Minimum -40°C	-40°F	Maximum +80°C	+176°F
------------------	-------	------------------	--------

Colors:

Black

Weight:



empty: 3,91kg - 8.62lbs

with cubed foam: 5,10kg - 11.24lbs


It44

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam

ACCESSORIES

HPRCCUB4200
CUBED FOAM



HPRCPANELFRAME
SUPPORT KIT



HPRCTRAC-2
EXTRA-PADDED
SHOULDER
STRAP



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA







TECHNICAL FEATURES*

Internal dimension: 580x320x309(mm) - 22.83x12.60x12.16(in)	Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	Weight: empty: 6,50kg - 14.33lbs with cubed foam: 7,96kg - 17.54lbs
External dimension: 690x380x355.4(mm) - 27.16x14.96x13.99(in)	Colors:	
Lid: 80(mm) - 3.15(in) - under handle: 54(mm) - 2.13(in)	Black	
Bottom: 255(mm) - 10.04(in)		It62

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB4300 CUBED FOAM	HPRCBAG4300 INTERIOR BAG	HPRCSFD4300 SOFT PADDED OPEN DECK	ZAC-DRYKPR DRY KEEPER	HPRCL0708TSA PADLOCK - TSA	

HPRC4300W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

580x320x299(mm) - 22.83x12.60x11.77(in)

External dimension:

690x380x358,2(mm) - 27.16x14.96x14.10(in)

Lid: 80(mm) - 3.15(in) - under handle: 54(mm) - 2.13(in)

Bottom: 245(mm) - 9.65(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:


Black

Weight:

empty: 7,30kg - 16.09lbs
with cubed foam: 8,76kg - 19.31lbs

It62

TECHNICAL DRAWINGS



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB4300W
CUBED FOAM



HPRCBAG4300W
INTERIOR BAG



HPRCSFD4300W
SOFT PADDED
OPEN DECK



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA





TECHNICAL FEATURES*

Internal dimension:

420x420x389(mm) - 16.54x16.54x15.31(in)

External dimension:

482x481x437(mm) - 18.98x18.94x17.20(in)

Lid: 65(mm) - 2.56(in) - under handle: 38(mm) - 1.50(in)

Bottom: 351(mm) - 13.82(in)

Temperature rating:

Minimum -40°C	-40°F	Maximum +80°C	+176°F
------------------	-------	------------------	--------

Colors:

Black

Weight:



empty: 6,70kg - 14.77lbs

with cubed foam: 8,90kg - 19.62lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam

ACCESSORIES

HPRCCUB4400
CUBED FOAM



HPRC4400WK-01
WHEEL KIT FOR
HPRC4400



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC4600W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

611x611x375(mm) - 24.05x24.05x14.76(in)

External dimension:

670x677x418,5(mm) - 26.38x26.65x16.48(in)

Lid: 85.5(mm) - 3.36(in)

Bottom: 289(mm) - 11.37(in)

Temperature rating:

Minimum 40°C 40°F Maximum +80°C +176°F

Colors:

Black




Weight:

empty: 10,28kg - 22.66lbs

with cubed foam: 13,14kg - 28.97lbs.

€129

TECHNICAL DRAWINGS



INTERNAL LAYOUTS



cubed foam

ACCESSORIES

HPRCCUB4600W
CUBED FOAM



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



*For more detailed information see pages from 12 to 15.



HPRC4700W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

508x301.4x497(mm) - 20x11.87x19.57(in)

External dimension:

572x429x563(mm) - 22.52x16.89x22.19(in)

Lid: 49(mm) - 1.92(in) - under handle: 23(mm) - 0.91(in)

Bottom: 474(mm) - 18.66(in)

Temperature rating:

Minimum 40°C 40°F Maximum +80°C +176°F

Colors:

Black

Weight:




empty: 11,73kg - 25.86lbs

with cubed foam: 14,84kg - 32.71lbs

It81

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



interior bag

ACCESSORIES

HPRCCUB4700W
CUBED FOAM



HPRCBAG4700W
INTERIOR BAG



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



*For more detailed information see pages from 12 to 15.



TECHNICAL FEATURES*

Internal dimension:

720x320x600(mm) - 28.34x12.60x23.62(in)

External dimension:

776x380x649(mm) - 30.55x14.96x25.55(in)

Lid: 85(mm) - 3.35(in) - under handle: 59(mm) - 2.32(in)

Bottom: 540(mm) - 21.25(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 10kg - 22.21lbs

with cubed foam: 14,10kg - 31.08lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam

ACCESSORIES

HPRCCUB4800W
CUBED FOAM



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA





HPRC 5200

NEW



TECHNICAL FEATURES*

Internal dimension:

772x302x210(mm) - 30.39x11.89x8.26(in)

External dimension:

802x355x246,7(mm) - 31.57x13.97x9.71(in)

Lid: 46(mm) - 1.81(in)

Bottom: 164(mm) - 6.45(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 5,05kg - 11.10lbs

with cubed foam: 6,20kg - 13.70lbs

+**50%**

TECHNICAL DRAWINGS

EXTERNAL DIMENSION




INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB5200
CUBED FOAM



HPRCSSK5200
SECOND SKIN



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



*For more detailed information see pages from 12 to 15.

HPRC 5200R

NEW



TECHNICAL FEATURES*

Internal dimension:

772x302x210(mm) - 30.39x11.89x8.26(in)

External dimension:

802x355x246,7(mm) - 31.57x13.97x9.71(in)

Lid: 46(mm) - 1.81(in)

Bottom: 164(mm) - 6.45(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:



empty: 5,05kg - 11.10lbs

with cubed foam: 6,20kg - 13.70lbs

It50

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam




second skin



empty

ACCESSORIES

HPRCCUB5200
CUBED FOAM



HPRCSSK5200
SECOND SKIN



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA





Photo by Phil Arntz




TECHNICAL FEATURES*

Internal dimension: 1140x350x160(mm) - 44.88x13.78x6.30(in)	Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	Weight: empty: 8kg - 17.64lbs with cubed foam: 9,80kg - 21.61lbs
External dimension: 1203.7x418x181(mm) - 47.39x16.46x7.13(in)		
Lid: 45(mm) - 1.77(in)	Colors: Black	
Bottom: 115(mm) - 4.52(in)		It64

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB5400W CUBED FOAM	HPRCBAG5400W INTERIOR BAG	ZAC-DRYKPR DRY KEEPER	HPRCL0708TSA PADLOCK - TSA		

HPRC6200



TECHNICAL FEATURES*

Internal dimension:
651x279x242,8(mm) - 25.63x10.98x9.56(in)
External dimension:
711x335x279(mm) - 28x13.19x11.86(in)
Lid: 112(mm) - 4.41(in)
Bottom: 130,8(mm) - 5.15(in)




Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F
Colors:
Black

Weight:
empty: 3,96kg - 8.73lbs
with cubed foam: 5,80kg - 12.78lbs

It38

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB6200
CUBED FOAM



HPRCTRIKIT
KIT FOR TRIPODS



HPRCTRAC-1
PADDED SHOULDER STRAP



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA





TECHNICAL FEATURES*

Internal dimension:

920,8x279x242,8(mm) - 36.25x10.98x9.56(in)

External dimension:

968x335x299,8(mm) - 38.11x13.19x11.80(in)

Lid: 130,8(mm) - 5.15(in)

Bottom: 131(mm) - 5.15(in)

Temperature rating:

Minimum -40°C	-40°F	Maximum +80°C	+176°F
------------------	-------	------------------	--------

Colors:

Black

Weight:




empty: 5,69kg - 12.54lbs

with cubed foam: 6,95kg - 15.32lbs

It54

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB6300W
CUBED FOAM



HPRCTRIKIT
KIT FOR TRIPODS



HPRCTRAC-1
PADDED SHOULDER STRAP



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA



HPRC6400W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

1081x279x242,8(mm) - 42.56x10.98x9.56(in)

External dimension:

1128x335x299,8(mm) - 44.41x13.19x11.80(in)

Lid: 112(mm) - 4.41(in)

Bottom: 131(mm) - 5.15(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

Weight:




empty: 6,44kg - 14.20lbs

with cubed foam: 7,84kg - 17.28lbs

It64

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



cubed foam



tri version

ACCESSORIES

HPRCCUB6400W
CUBED FOAM



HPRCTRIKIT
KIT FOR TRIPODS



HPRCTRAC-1
PADDED SHOULDER
STRAP



ZAC-DRYKPR
DRY KEEPER



HPRCL0708TSA
PADLOCK - TSA






TECHNICAL FEATURES*


Internal dimension: 1280,7x278,9x242,8(mm) - 50.42x10.98x9.56(in)	Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	Weight: empty: 7,20kg - 15.88lbs with cubed foam: 9,03kg - 19.90lbs
External dimension: 1328x335x299,8(mm) - 52.28x13.19x11.80(in)		
Lid: 112(mm) - 4.41(in)	Colors: Black	
Bottom: 131(mm) - 5.15(in)		It76

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB6500W CUBED FOAM	HPRCTRKIT KIT FOR TRIPODS	HPRCTRAC-1 PADDED SHOULDER STRAP	ZAC-DRYKPR DRY KEEPER	HPRCL0708TSA PADLOCK - TSA		

HPRC0500



TECHNICAL FEATURES*

Closed dimension:

394x280x27,5(mm) - 15.51x11.02x1.08(in)

Open dimension:

464x350x27,5(mm) - 18.26x13.77x1.08(in)

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F



Colors:

Black

Weight:

empty: 0,95kg - 2.09lbs

TECHNICAL DRAWINGS



EXTERNAL DIMENSION

FEATURES



* tripod, laptop and shelter not included



* For more detailed information see pages from 12 to 15.

Soft cases.

HPRC produces also different lines of soft cases and backpacks specifically designed to carry and protect the most popular drones and gimbals of the market.



| HOW DO YOU
| LIKE GREY?



HPRC GRAVEL GREY
NOW AVAILABLE IN THREE DIFFERENT SIZES.

HPRC2550W | HPRC2600W | HPRC2700W



technical chart

HPRC1100		TDX
	Internal dimension 57x58x25,6(mm) 2.24x2.28x1.00(in)	
It0,1	External dimension 69x80x32(mm) 2.72x3.15x1.26(in)	
	Weight empty 0,04kg - 0.09lbs	
	Colors Black	

page 18

HPRC1300		TDX
	Internal dimension 116,1x67,60x25,6(mm) 4.57x2.66x1.00(in)	
It0,2	External dimension 127,5x90x32(mm) 5.02x3.54x1.26(in)	
	Weight empty 0,09kg - 0.19lbs	
	Colors Black	

page 19

HPRC1400		TDX
	Internal dimension 180x110x40(mm) 7.08x4.33x1.57(in)	
It0,3	External dimension 200,3x142,4x48(mm) 7.89x5.61x1.89(in)	
	Weight empty 0,26kg - 0.57lbs	
	Colors Black	

page 20

HPRC2100		TDX
	Internal dimension 214,5x150,5x94,4(mm) 8.44x5.93x3.72(in)	
It3	External dimension 235,5x201,2x110,4(mm) 9.27x7.92x4.35(in)	
	Weight empty 0,74kg - 1.63lbs	
	Colors Black - Orange - Ferrari red - Electric blue	

page 21

HPRC2200		TDX
	Internal dimension 236x182x108(mm) 9.29x7.17x4.25(in)	
It5	External dimension 258x244,3x123,3(mm) 10.16x9.62x4.85(in)	
	Weight empty 0,87kg - 1.92lbs	
	Colors Black	

page 22

HPRC2250		TDX
	Internal dimension 236x182x155(mm) 9.29x7.17x6.10(in)	
It7	External dimension 258x230x170(mm) 10.16x9.06x6.69(in)	
	Weight empty 1,00kg - 2.20lbs	
	Colors Black	

page 23

HPRC2300		TDX
	Internal dimension 305,7x232,4x137,5(mm) 12.04x9.15x5.41(in)	
It10	External dimension 334,6x303x155,2(mm) 13.17x11.93x6.11(in)	
	Weight empty 1,75kg - 3.86lbs	
	Colors Black - Orange - Ferrari red - Electric blue	

page 24

HPRC2350		TDX
	Internal dimension 340x235x99(mm) 13.39x9.25x3.90(in)	
It7,7	External dimension 365x293x115,5(mm) 14.37x11.54x4.55(in)	
	Weight empty 1,49kg - 3.29lbs	
	Colors Black	

page 25

HPRC2400		TDX
	Internal dimension 377x263,9x150,8(mm) 14.84x10.39x5.94(in)	
It15	External dimension 402x330,5x169,2(mm) 15.83x13.01x6.66(in)	
	Weight empty 2,17kg - 4.78lbs	
	Colors Black - Orange - Ferrari red - Electric blue	

page 26

HPRC2460		TDX
	Internal dimension 409x306x175(mm) 16.10x12.05x6.89(in)	
It21,5	External dimension 435x377,8x193(mm) 17.13x14.87x7.60(in)	
	Weight empty 2,55kg - 5.62lbs	
	Colors Black	

page 27

HPRC2500		TDX
	Internal dimension 449,8x322,9x174,9(mm) 17.71x12.71x6.89(in)	
It25	External dimension 478,1x389,4x194(mm) 18.82x15.33x7.64(in)	
	Weight empty 3,08kg - 6.79lbs	
	Colors Black - Orange - Ferrari red - Electric blue	

page 28

HPRC2530		TDX
	Internal dimension 513x288x132(mm) 20.20x11.34x5.20(in)	
It19	External dimension 540x350x153(mm) 21.26x13.78x6.02(in)	
	Weight empty 3,20kg - 7.05lbs	
	Colors Black	

page 29

HPRC2550W

Internal dimension
513x288x200(mm)
20.19x11.34x7.87(in)



External dimension
549x346x236(mm)
21.61x13.62x9.29(in)

WHEELED

Weight empty
4,78kg - 10.54lbs



Colors
Black - Orange - Ferrari red -
Electric blue - Gravel Grey

page 31

HPRC2600W

Internal dimension
482,4x358,3x217,6(mm)
18.99x14.10x8.57(in)



External dimension
546,9x426,8x250,7(mm)
21.53x16.80x9.87(in)

WHEELED

Weight empty
6,05kg - 13.34lbs

Colors
Black - Orange - Electric blue -
Gravel Grey

page 34

HPRC2580

Internal dimension
390x310x89(mm)
15.35x12.20x3.50(in)



External dimension
411x364,8x110(mm)
16.18x14.36x4.33(in)

Weight empty
2,43kg - 5.35lbs

Colors
Black

page 32

HPRC2600

Internal dimension
482,4x358,3x198,1(mm)
18.99x14.10x7.80(in)



External dimension
543,4x426,8x218,1(mm)
21.39x16.80x8.59(in)

Weight empty
4,25kg - 9.37lbs

Colors
Black - Orange - Ferrari red -
Electric blue

page 33

HPRC2600W

Internal dimension
482,4x358,3x217,6(mm)
18.99x14.10x8.57(in)



External dimension
546,9x426,8x250,7(mm)
21.53x16.80x9.87(in)

WHEELED

Weight empty
6,05kg - 13.34lbs

Colors
Black - Orange - Electric blue -
Gravel Grey

page 34

HPRC2700

Internal dimension
555x459x205(mm)
21.85x18.07x8.07(in)



External dimension
617x525x227(mm)
24.29x20.67x8.94(in)

Weight empty
5,55kg - 12.24lbs

Colors
Black - Orange - Ferrari red

page 35

HPRC2700W

Internal dimension
554,7x458,7x246(mm)
21.84x18.06x9.69(in)



External dimension
617,5x527,3x279,6(mm)
24.31x20.76x11(in)

WHEELED

Weight empty
7,75kg - 17.09lbs

Colors
Black - Orange - Ferrari red -
Gravel Grey

page 36

HPRC2710

Internal dimension
555x459x256(mm)
21.85x18.07x10.08(in)



External dimension
617x525x280(mm)
24.29x20.67x11.02(in)

Weight empty
6,55kg - 14.46lbs

Colors
Black

page 37

HPRC2730W

Internal dimension
503x459x316(mm)
19.80x18.07x12.44(in)



External dimension
616,9x531x349,6(mm)
24.29x20.91x13.76(in)

WHEELED

Weight empty
8,41kg - 18.54lbs

Colors
Black

page 38

HPRC2745W

Internal dimension
771x401x247(mm)
30.35x15.78x9.72(in)



External dimension
822x452x294(mm)
32.36x17.79x11.57(in)

WHEELED

Weight empty
7,22kg - 15.92lbs

Colors
Black

page 39

HPRC2760W

Internal dimension
690x450x301(mm)
27.16x17.72x11.85(in)



External dimension
750x511x329(mm)
29.53x20.12x12.95(in)

Weight empty
8,93kg - 19.69lbs

Colors
Black

page 40

HPRC2780W

Internal dimension
748,6x524,6x363,3(mm)
29.47x20.65x14.30(in)



External dimension
814x586,5x387,7(mm)
32.05x23.09x15.27(in)

WHEELED

Weight empty
12kg - 26.46lbs

Colors
Black

page 42

HPRC2800W

Internal dimension
748,6x524,6x454,6(mm)
29.47x20.65x17.90(in)



External dimension
813,3x586,5x480,5(mm)
32.02x23.09x18.92(in)

WHEELED

Weight empty
13,25kg - 29.22lbs

Colors
Black

page 43

technical chart

HPRC3500		TTD
	Internal dimension 433,5x319,3x168,8(mm) 17.07x12.57x6.65(in)	
lt20	External dimension 497,9x370,3x185(mm) 19.60x14.58x7.28(in)	
	Weight empty 3kg - 6.61lbs	
	Colors Black	page 44

HPRC3600		TTD
	Internal dimension 479x354x194(mm) 18.86x13.94x7.64(in)	
lt28,5	External dimension 542x402x220(mm) 21.34x15.83x8.66(in)	
	Weight empty 3,22kg - 7.10lbs	
	Colors Black	page 45

HPRC4050		TTD
	Internal dimension 261x171x220(mm) 10.28x6.73x8.66(in)	
lt10	External dimension 284x223x260(mm) 11.18x8.78x10.24(in)	
	Weight empty 1,57kg - 3.46lbs	
	Colors Black	page 46

HPRC4100		TTD
	Internal dimension 401x231x231(mm) 15.79x9.09x9.09(in)	
lt22	External dimension 426,3x284x276,5(mm) 16.78x11.18x10.89(in)	
	Weight empty 2,64kg - 5.82lbs	
	Colors Black	page 47

HPRC4200		TTD
	Internal dimension 460x240x400(mm) 18.11x9.45x15.75(in)	
lt44	External dimension 500,4x293x445,5(mm) 19.70x11.54x17.54(in)	
	Weight empty 3,91kg - 8.62lbs	
	Colors Black	page 48

HPRC4300		TTD
	Internal dimension 580x320x309(mm) 22.83x12.60x12.16(in)	
lt62	External dimension 690x380x358,2(mm) 27.16x14.96x14.10(in)	
	Weight empty 6,50kg - 14.33lbs	
	Colors Black	page 49

HPRC4300W		TTD
	Internal dimension 580x320x299(mm) 22.83x12.60x11.77(in)	
lt62	External dimension 690x380x358,2(mm) 27.16x14.96x14.10(in)	
WHEELED	Weight empty 7,30kg - 16.09lbs	
	Colors Black	page 50

HPRC4400		TTD
	Internal dimension 420x420x389(mm) 16.54x16.54x15.31(in)	
lt74	External dimension 482x481x437(mm) 18.98x18.94x17.20(in)	
	Weight empty 6,70kg - 14.77lbs	
	Colors Black	page 51

HPRC4600W		TTD
	Internal dimension 611x611x375(mm) 24.05x24.05x14.76(in)	
lt129	External dimension 670x677x418,5(mm) 26.38x26.65x16.48(in)	
WHEELED	Weight empty 10,28kg - 22.66lbs	
	Colors Black	page 52

HPRC4700W		TTD
	Internal dimension 508x301,4x497(mm) 20x11.87x19.57(in)	
lt81	External dimension 572x429x563,5(mm) 22.52x16.89x22.19(in)	
WHEELED	Weight empty 11,73kg - 25.86lbs	
	Colors Black	page 54

HPRC4800W		TTD
	Internal dimension 720x320x600(mm) 28.34x12.60x23.62(in)	
lt136	External dimension 776x380x649(mm) 30.55x14.96x25.55(in)	
WHEELED	Weight empty 10kg - 22.21lbs	
	Colors Black	page 55

HPRC5200		TTD
	Internal dimension 772x302x210(mm) 30.39x11.89x8.26(in)	
lt50	External dimension 802x355x246,7(mm) 31.57x13.97x9.71(in)	
	Weight empty 5.05kg - 11.10lbs	
	Colors Black	page 58

NEW

HPRC5200R



Internal dimension
772x302x210(mm)
30.39x11.89x8.26(in)



External dimension
802x355x246,7(mm)
31.57x13.97x9.71(in)

Weight empty
5.05kg - 11.10lbs

Colors
Black

page 59



HPRC5400W



Internal dimension
1140x350x160(mm)
44.88x13.78x6.30(in)



WHEELED

External dimension
1203,7x418x181(mm)
47.39x16.46x7.13(in)

Weight empty
8kg - 17.64lbs

Colors
Black

page 61

HPRC6200



Internal dimension
651x279x242,8(mm)
25.63x10.98x9.56(in)



External dimension
711x335x279(mm)
28x13.19x11.86(in)

Weight empty
3,96kg - 8.73lbs

Colors
Black

page 62

HPRC6300W



Internal dimension
920,8x279x242,8(mm)
36.25x10.98x9.56(in)



External dimension
968x335x299,8(mm)
38.11x13.19x11.80(in)

Weight empty
5,69kg - 12.54lbs

WHEELED

Colors
Black

page 63

HPRC6400W



Internal dimension
1081x279x242,8(mm)
42.56x10.98x9.56(in)



WHEELED

External dimension
1128x335x299,8(mm)
44.41x13.19x11.80(in)

Weight empty
6,44kg - 14.20lbs

Colors
Black

page 64

HPRC6500W



Internal dimension
1280,7x278,9x242,8(mm)
50.42x10.98x9.56(in)



WHEELED

External dimension
1328x335x299,8(mm)
52.28x13.19x11.80(in)

Weight empty
7,20kg - 15.88lbs

Colors
Black

page 65

HPRC0500



Closed dimension
394x280x27,5(mm)
15.51x11.02x1.08(in)

Open dimension
464x350x27,5(mm)
18.26x13.77x1.08(in)

Weight empty
empty: 0,95kg - 2.09lbs

Colors
Black

page 66



Discover all our products

at: www.hprc.it

Plaber S.r.l reserves the right to modify its products at any time and without notice, in order to improve their quality and functionality. Therefore, all the information given in this datasheet is to be considered indicative and subject to possible modifications.


Soft bags and flight cases.

HPRC product range is completed
by soft bags and flight cases.



MADE IN ITALY

Find us on:     PlaberItalia
Channel



plaber[®]

Plaber S.r.l.
Via Div Tridentina, 10
I-36061 Bassano del Grappa
Vicenza - Italy

Tel +39 0424 809 150

USA office and warehouse:

Plaber America Inc
110 Chestnut Ridge Rd. #314
Montvale, NJ 07645

Phone +1(201) 989-3353

www.hprc.it | www.hprcusa.com

info@hprc.it

